

Neck Bushing ⌀12,7-8,48/.3339

Neck sizing bushing made from high-quality hardened steel, precision-ground internally and externally in a single setup on CNC machines – ensuring perfect concentricity and maximum dimensional accuracy. Designed for precise neck sizing. Suitable for original reloading dies from Triebel Waffenwerkzeuge.



Attributes

- Name: Neck Bushing ⌀12,7-8,48/.3339
- Manufacturer: TRIEBEL
- Product no.: EU2017727
- Mfr. No.: 3000240V-08.48
- Diameter mm: 12,7 / 8,48
- Delivery weight: 0.02kg
- Shipping height: 25mm
- Shipping width: 60mm
- Shipping length: 50mm
- EAN/UPC: 3000240V-08.48

Table of Contents

- [Startpage](#)
- [English: Neck Bushing Safety Instruction Guide](#)

Neck Bushing Safety Instruction Guide

Introduction

Thank you for choosing the Neck Bushing. This guide provides important safety instructions and guidelines to ensure the safe and effective use of the product. Please read this document carefully before use.

General Safety Guidelines

- Ensure that the Neck Bushing is used only for its intended purpose of neck sizing in reloading applications.
- Always follow the manufacturer's instructions and guidelines when using the Neck Bushing.
- Keep the Neck Bushing out of reach of children and individuals who may not understand its use.
- Regularly inspect the Neck Bushing for any signs of wear or damage before each use.
- Report any unsafe conditions or incidents involving the Neck Bushing to the appropriate authorities.

Specific Safety Precautions for Use

- Wear appropriate personal protective equipment (PPE) such as safety glasses when using the Neck Bushing to protect against any potential debris.
- Ensure that the reloading press and all associated equipment are in good working condition before using the Neck Bushing.
- Do not exceed the specified dimensions and tolerances of the Neck Bushing during use to prevent malfunctions.
- Avoid using the Neck Bushing if it shows signs of damage or excessive wear.
- Always work in a wellventilated area to minimize exposure to any potential fumes or dust generated during the reloading process.

Instructions for Installation and Usage

1. Installation:

- Ensure that the reloading die is clean and free from any debris.
- Carefully insert the Neck Bushing into the reloading die, ensuring it fits securely.
- Tighten the die according to the manufacturer's specifications to prevent any movement during use.

2. Usage:

- Prepare the cartridge cases as per your reloading process.
- Insert the cartridge case into the reloading press.
- Activate the press to size the neck of the cartridge case using the Neck Bushing.
- Inspect the sized case for proper fit and dimensions before proceeding with further reloading steps.

3. PostUse:

- After use, clean the Neck Bushing to remove any residue or debris.
- Store the Neck Bushing in a safe and dry location, away from children and unauthorized users.

Disposal Instructions

- Dispose of any damaged or worn Neck Bushings in accordance with local regulations.
- If the Neck Bushing is no longer usable, please recycle it if possible, or dispose of it in a manner that is

environmentally friendly.

Contact Information for Further Support

For any inquiries regarding safety or use of the Neck Bushing, please refer to the product packaging for the manufacturer's contact information or consult the retailer where the product was purchased.