

## Neck Bushing &#x2300;12,7-8,52/.3354

Neck sizing bushing made from high-quality hardened steel, precision-ground internally and externally in a single setup on CNC machines – ensuring perfect concentricity and maximum dimensional accuracy. Designed for precise neck sizing. Suitable for original reloading dies from Triebel Waffenwerkzeuge.



### Attributes

- Name: Neck Bushing &#x2300;12,7-8,52/.3354
- Manufacturer: TRIEBEL
- Product no.: EU2017730
- Mfr. No.: 3000240V-08.52
- Diameter mm: 12,7 / 8,52
- Delivery weight: 0.02kg
- Shipping height: 25mm
- Shipping width: 60mm
- Shipping length: 50mm
- EAN/UPC: 3000240V-08.52

# Table of Contents

- [Startpage](#)
- [English: Neck Bushing Safety Instruction Guide](#)

# Neck Bushing Safety Instruction Guide

## Introduction

Thank you for choosing the Neck Bushing, designed for precise neck sizing in reloading applications. This guide provides essential safety information to ensure the safe and effective use of the product. Please read all instructions carefully before use.

## General Safety Guidelines

- Ensure the Neck Bushing is used only for its intended purpose.
- Always follow the manufacturer's instructions for use and maintenance.
- Keep the product out of reach of children and vulnerable individuals.
- Inspect the Neck Bushing before each use for any signs of damage or wear.
- Report any unsafe conditions or incidents to the appropriate authorities.

## Specific Safety Precautions for Use

- Wear appropriate personal protective equipment (PPE) such as safety glasses and gloves while handling the Neck Bushing.
- Avoid using excessive force during installation or operation to prevent injury or damage to the product.
- Do not modify the Neck Bushing in any way, as this may compromise safety and performance.
- Ensure that the work area is clean and free of distractions to maintain focus while using the Neck Bushing.
- Follow all local regulations and guidelines related to reloading and firearms.

## Instructions for Installation and Usage

### 1. Preparation:

- Gather all necessary tools and equipment before starting the installation.
- Ensure that your reloading press is compatible with the Neck Bushing.

### 2. Installation:

- Remove the existing bushing from your reloading die, if applicable.
- Clean the die and ensure no debris is present.
- Carefully insert the Neck Bushing into the die, ensuring it is seated correctly.
- Secure the bushing according to the manufacturer's instructions.

### 3. Usage:

- Adjust the reloading press settings as per your requirements.
- Place the cartridge case into the die and operate the press smoothly.
- Monitor the process closely to ensure consistent sizing.

### 4. PostUsage:

- Remove the Neck Bushing from the die after use.
- Clean the bushing and die to remove any residues.
- Store the Neck Bushing in a safe and dry location.

## **Disposal Instructions**

- Dispose of the Neck Bushing responsibly at the end of its life.
- Follow local regulations for disposal of metal products.
- Consider recycling the Neck Bushing where facilities exist.

## **Contact Information for Further Support**

For any questions or concerns regarding the Neck Bushing, please refer to the manufacturer's contact information provided with the product packaging.

By following these safety guidelines and instructions, you can ensure a safe and effective experience with your Neck Bushing. Thank you for your attention to safety!