

Neck Bushing ⌀12,7-8,55/.3366

Neck sizing bushing made from high-quality hardened steel, precision-ground internally and externally in a single setup on CNC machines – ensuring perfect concentricity and maximum dimensional accuracy. Designed for precise neck sizing. Suitable for original reloading dies from Triebel Waffenwerkzeuge.



Attributes

- Name: Neck Bushing ⌀12,7-8,55/.3366
- Manufacturer: TRIEBEL
- Product no.: EU2017733
- Mfr. No.: 3000240V-08.55
- Diameter mm: 12,7 / 8,55
- Delivery weight: 0.02kg
- Shipping height: 25mm
- Shipping width: 60mm
- Shipping length: 50mm
- EAN/UPC: 3000240V-08.55

Table of Contents

- [Startpage](#)
- [English: Neck Bushing Safety Instruction Guide](#)

Neck Bushing Safety Instruction Guide

Introduction

Thank you for choosing the Neck Bushing. This guide provides essential safety instructions and information to ensure the safe use and handling of the product. Please read this document carefully before using the Neck Bushing.

General Safety Guidelines

- Ensure that the Neck Bushing is used only for its intended purpose: precise neck sizing in reloading applications.
- Always inspect the Neck Bushing for any signs of damage or wear before use. Do not use if damaged.
- Keep the Neck Bushing out of reach of children and vulnerable individuals to prevent accidental injury.
- Use personal protective equipment (PPE) such as safety glasses and gloves when handling the Neck Bushing.
- Follow all applicable safety regulations and guidelines when using this product.

Specific Safety Precautions for Use

- Only use the Neck Bushing with compatible reloading dies from Triebel Waffenwerkzeuge.
- Do not force the Neck Bushing into the die; ensure it fits properly to avoid damage.
- Avoid using excessive force when resizing to prevent injury or damage to the bushing.
- Ensure that the work area is clean and free of obstructions to prevent accidents while using the Neck Bushing.
- Be aware of your surroundings and ensure that no one is in close proximity while using the Neck Bushing.

Instructions for Installation and Usage

1. Preparation:

- Gather all necessary tools and equipment required for the reloading process.
- Ensure that the reloading press is securely mounted and stable.

2. Installation:

- Remove the existing bushing from the reloading die if applicable.
- Carefully insert the Neck Bushing into the die, ensuring it is seated properly.
- Tighten the die as per the manufacturer's instructions to secure the bushing in place.

3. Usage:

- Follow the reloading die instructions for adjusting the bushing for neck sizing.
- Place the cartridge case into the reloading press and apply steady pressure to resize the neck.
- Inspect the resized neck for proper dimensions and concentricity after each use.

4. PostUsage:

- Clean the Neck Bushing after use to remove any residue or debris.
- Store the Neck Bushing in a safe and dry location, away from moisture and extreme temperatures.

Disposal Instructions

- Dispose of the Neck Bushing in accordance with local regulations for metal recycling.

- Do not dispose of the Neck Bushing in regular household waste.
- Ensure that the product is completely disassembled if required by local disposal guidelines.

Contact Information for Further Support

For any inquiries regarding the Neck Bushing or safety concerns, please refer to the EUbased contact point provided with your product packaging or documentation.

Conclusion

Your safety is our priority. By following these guidelines, you can ensure the safe and effective use of the Neck Bushing. Always stay informed about safety updates and product recalls through official channels. Thank you for your attention to these important safety instructions.