

Neck Bushing ⌀12,7-8,65/.3406

Neck sizing bushing made from high-quality hardened steel, precision-ground internally and externally in a single setup on CNC machines – ensuring perfect concentricity and maximum dimensional accuracy. Designed for precise neck sizing. Suitable for original reloading dies from Triebel Waffenwerkzeuge.



Attributes

- Name: Neck Bushing ⌀12,7-8,65/.3406
- Manufacturer: TRIEBEL
- Product no.: EU2017739
- Mfr. No.: 3000240V-08.65
- Diameter mm: 12,7 / 8,65
- Delivery weight: 0.02kg
- Shipping height: 25mm
- Shipping width: 60mm
- Shipping length: 50mm
- EAN/UPC: 3000240V-08.65

Table of Contents

- [Startpage](#)
- [English: Neck Bushing Safety Instructions](#)

Neck Bushing Safety Instructions

Introduction

Thank you for choosing the Neck Bushing. This product is designed for precise neck sizing in reloading applications. To ensure your safety and the proper use of this product, please read and follow these safety instructions carefully.

General Safety Guidelines

- Always inspect the Neck Bushing for any signs of damage or wear before use.
- Ensure that the Neck Bushing is compatible with your reloading dies.
- Keep the product out of reach of children and vulnerable individuals.
- Use the Neck Bushing only for its intended purpose as specified in the instructions.

Specific Safety Precautions for Use

- **Hazard Identification:**

- Sharp edges: The Neck Bushing may have sharp edges that can cause cuts.
- Improper use: Using the Neck Bushing in a manner not intended can lead to accidents or injuries.

- **Avoiding Hazards:**

- Handle the Neck Bushing with care, avoiding direct contact with sharp edges.
- Do not exceed the recommended sizing specifications to prevent damage to the bushing or your reloading equipment.
- Always wear appropriate safety gear, such as safety glasses, when using reloading equipment.

Instructions for Installation and Usage

- **Installation:**

1. Ensure your reloading press is turned off and unplugged.
2. Remove any existing bushing from your reloading die.
3. Carefully insert the Neck Bushing into the die, ensuring it fits snugly.
4. Secure the bushing according to the manufacturer's instructions for your specific die.

- **Usage:**

1. Prepare your brass cases according to standard reloading procedures.
2. Adjust your reloading press to the appropriate settings for neck sizing.
3. Insert the brass case into the die with the installed Neck Bushing.
4. Operate the reloading press to size the neck of the case.
5. Remove the sized case and inspect for proper sizing.

Disposal Instructions

- Dispose of the Neck Bushing responsibly. Do not throw it in regular household waste.
- Check local regulations for the proper disposal of metal products.
- Consider recycling the product if possible.

Contact Information for Further Support

For any safety inquiries or concerns regarding the Neck Bushing, please refer to the appropriate contact points provided by the manufacturer or your retailer.

By following these safety instructions, you can ensure a safe and effective experience with your Neck Bushing. Always prioritize safety and proper handling to enjoy the full benefits of your reloading equipment.