

Neck Bushing ⌀12,7-8,88/.3496

Neck sizing bushing made from high-quality hardened steel, precision-ground internally and externally in a single setup on CNC machines – ensuring perfect concentricity and maximum dimensional accuracy. Designed for precise neck sizing. Suitable for original reloading dies from Triebel Waffenwerkzeuge.



Attributes

- Name: Neck Bushing ⌀12,7-8,88/.3496
- Manufacturer: TRIEBEL
- Product no.: EU2017750
- Mfr. No.: 3000240V-08.88
- Diameter mm: 12,7 / 8,88
- Delivery weight: 0.02kg
- Shipping height: 25mm
- Shipping width: 60mm
- Shipping length: 50mm
- EAN/UPC: 3000240V-08.88

Table of Contents

- [Startpage](#)
- [English: Safety Instruction Guide for Neck Bushing](#)

Safety Instruction Guide for Neck Bushing

Introduction

Thank you for choosing the Neck Bushing. This product is designed for precise neck sizing and is made from highquality hardened steel to ensure maximum dimensional accuracy. Please read this safety instruction guide carefully to ensure safe and effective use of the product in compliance with the EU General Product Safety Regulation (GPSR).

General Safety Guidelines

- Ensure that the Neck Bushing is used only for its intended purpose, which is neck sizing in reloading applications.
- Always handle the Neck Bushing with care to avoid injury. The edges may be sharp.
- Keep the product out of reach of children and vulnerable individuals to prevent accidents.
- Regularly inspect the Neck Bushing for any signs of damage or wear. If any defects are found, discontinue use immediately.
- Report any unsafe products or accidents to the relevant authorities.

Specific Safety Precautions for Use

- Wear appropriate personal protective equipment (PPE), such as safety glasses and gloves, when using the Neck Bushing.
- Ensure that the loading equipment is stable and secure before using the Neck Bushing.
- Do not exceed the manufacturer's specifications for use, including the recommended sizes and types of cases.
- Avoid using the Neck Bushing in wet or damp conditions to prevent slippage and potential accidents.
- Do not force the Neck Bushing into the reloading die. If resistance is encountered, stop and check for obstructions.

Instructions for Installation and Usage

1. Installation:

- Ensure that the reloading die is clean and free from any debris.
- Insert the Neck Bushing into the reloading die, ensuring it is seated properly.
- Tighten the die according to the manufacturer's instructions to secure the Neck Bushing in place.

2. Usage:

- Prepare the cases by cleaning and inspecting them for damage.
- Set the reloading press to the correct height for the case you are sizing.
- Place the case into the reloading press and activate the press to size the neck.
- Inspect the sized case for conformity to specifications.
- Repeat the process for each case, ensuring that the Neck Bushing remains properly seated.

Disposal Instructions

- Dispose of the Neck Bushing in accordance with local regulations regarding metal waste.
- Do not dispose of the product in regular household waste.
- If the product is damaged or no longer usable, consult your local waste management facility for proper disposal methods.

Contact Information for Further Support

For any inquiries regarding safety, usage, or product support, please reach out to the manufacturer's customer service or consult the product's documentation.

Thank you for your attention to these safety guidelines. Your safety is our priority, and adhering to these instructions will help ensure a safe and effective experience with the Neck Bushing.