

Neck Bushing ⌀12,7-8,90/.3504

Neck sizing bushing made from high-quality hardened steel, precision-ground internally and externally in a single setup on CNC machines – ensuring perfect concentricity and maximum dimensional accuracy. Designed for precise neck sizing. Suitable for original reloading dies from Triebel Waffenwerkzeuge.



Attributes

- Name: Neck Bushing ⌀12,7-8,90/.3504
- Manufacturer: TRIEBEL
- Product no.: EU2017751
- Mfr. No.: 3000240V-08.90
- Diameter mm: 12,7 / 8,90
- Delivery weight: 0.02kg
- Shipping height: 25mm
- Shipping width: 60mm
- Shipping length: 50mm
- EAN/UPC: 3000240V-08.90

Table of Contents

- [Startpage](#)
- [English: Neck Bushing Safety Instruction Guide](#)

Neck Bushing Safety Instruction Guide

Introduction

Thank you for choosing the Neck Bushing, a highquality product designed for precise neck sizing in reloading applications. This guide provides important safety instructions to ensure safe and effective use of the product in compliance with the EU General Product Safety Regulation (GPSR).

General Safety Guidelines

- Always handle the Neck Bushing with care to avoid injury.
- Ensure that the product is used only for its intended purpose.
- Keep the Neck Bushing out of reach of children and vulnerable individuals.
- Regularly check the product for any signs of wear or damage before use.
- Report any unsafe products or accidents to the appropriate authorities.
- Stay informed about product recalls by checking the EU's Safety Gate platform.

Specific Safety Precautions for Use

- Use appropriate personal protective equipment (PPE) such as safety glasses and gloves when handling the Neck Bushing.
- Ensure that the reloading die is properly secured before using the Neck Bushing.
- Avoid using excessive force when inserting or removing the Neck Bushing from the die.
- Do not modify the Neck Bushing in any way, as this may compromise safety and performance.
- If you experience any difficulty while using the product, stop and consult a professional.

Instructions for Installation and Usage

1. Installation

- Ensure that the reloading die is clean and free of debris.
- Insert the Neck Bushing into the reloading die, ensuring it is properly aligned.
- Secure the Neck Bushing by tightening the locking mechanism of the die.

2. Usage

- Prepare the cartridge case by cleaning and inspecting it for damage.
- Place the cartridge case into the reloading die with the Neck Bushing installed.
- Apply consistent pressure to the reloading handle to size the neck of the cartridge case.
- Once the sizing process is complete, carefully remove the cartridge case from the die.

3. PostUse Care

- Clean the Neck Bushing after each use to remove any residue.
- Store the Neck Bushing in a dry and secure location to prevent damage.

Disposal Instructions

- Dispose of the Neck Bushing according to local regulations.
- If the product is damaged or no longer functional, do not attempt to repair it; instead, follow local guidelines for disposal of metal products.

Contact Information for Further Support

For any safety inquiries or additional support, please refer to the manufacturer's website or contact your local distributor.

By following these safety instructions, you can ensure the safe and effective use of the Neck Bushing. Thank you for your attention to these important guidelines.