

Neck Bushing ⌀12,7-8,99/.3539

Neck sizing bushing made from high-quality hardened steel, precision-ground internally and externally in a single setup on CNC machines – ensuring perfect concentricity and maximum dimensional accuracy. Designed for precise neck sizing. Suitable for original reloading dies from Triebel Waffenwerkzeuge.



Attributes

- Name: Neck Bushing ⌀12,7-8,99/.3539
- Manufacturer: TRIEBEL
- Product no.: EU2017755
- Mfr. No.: 3000240V-08.99
- Diameter mm: 12,7 / 8,99
- Delivery weight: 0.02kg
- Shipping height: 25mm
- Shipping width: 60mm
- Shipping length: 50mm
- EAN/UPC: 3000240V-08.99

Table of Contents

- [Startpage](#)
- [English: Neck Bushing Safety Instruction Guide](#)

Neck Bushing Safety Instruction Guide

Introduction

Thank you for purchasing the Neck Bushing. This guide provides essential safety instructions and guidelines for the safe use of this product. Please read this document carefully to ensure safe handling and operation.

General Safety Guidelines

- Ensure that the Neck Bushing is used in accordance with the manufacturer's instructions.
- Always inspect the Neck Bushing for any signs of damage or wear before use.
- Keep the Neck Bushing out of reach of children and vulnerable individuals.
- Report any unsafe conditions or incidents to the appropriate authorities.
- Stay informed about product recalls and safety updates through the EU's Safety Gate platform.

Specific Safety Precautions for Use

- Use the Neck Bushing only for its intended purpose of neck sizing.
- Wear appropriate personal protective equipment (PPE), such as safety glasses and gloves, when using the Neck Bushing.
- Ensure that the area of use is free from clutter and hazards to avoid accidents.
- Do not modify or alter the Neck Bushing in any way.
- Handle the Neck Bushing with care to avoid injury from sharp edges.
- Store the Neck Bushing in a secure location when not in use to prevent unauthorized access.

Instructions for Installation and Usage

1. Preparation:

- Gather all necessary tools and materials before starting.
- Ensure your reloading die is compatible with the Neck Bushing.

2. Installation:

- Insert the Neck Bushing into the reloading die according to the manufacturer's instructions.
- Ensure that the bushing is seated securely and is properly aligned.

3. Usage:

- Follow the reloading process as specified in your reloading die's manual.
- Monitor the performance of the Neck Bushing during use. If you notice any irregularities, cease operation immediately.
- After use, clean the Neck Bushing to remove any debris or residue.

Disposal Instructions

- Dispose of the Neck Bushing in accordance with local regulations.
- Do not dispose of the Neck Bushing in general waste if it is damaged or poses a safety risk.
- Consider recycling options if available.

Contact Information for Further Support

For any questions or concerns regarding the Neck Bushing, please refer to the manufacturer's contact information provided on the product packaging or documentation.

By following these guidelines, you can ensure safe and effective use of the Neck Bushing. Thank you for prioritizing safety in your reloading activities.