

Neck Bushing ⌀15-9,15/.3602

Neck sizing bushing made from high-quality hardened steel, precision-ground internally and externally in a single setup on CNC machines – ensuring perfect concentricity and maximum dimensional accuracy. Designed for precise neck sizing. Suitable for original reloading dies from Triebel Waffenwerkzeuge.



Attributes

- Name: Neck Bushing ⌀15-9,15/.3602
- Manufacturer: TRIEBEL
- Product no.: EU2017766
- Mfr. No.: 3000241V-09.15
- Diameter mm: 15 / 9,15
- Delivery weight: 0.02kg
- Shipping height: 25mm
- Shipping width: 60mm
- Shipping length: 50mm
- EAN/UPC: 3000241V-09.15

Table of Contents

- [Startpage](#)
- [English: Safety Instruction Guide for Neck Bushing](#)

Safety Instruction Guide for Neck Bushing

Introduction

Thank you for purchasing the Neck Bushing. This guide provides important safety information and instructions to ensure safe and effective use of the product. Please read this guide carefully before using the Neck Bushing.

General Safety Guidelines

- Ensure that the Neck Bushing is used only for its intended purpose, which is precise neck sizing in reloading applications.
- Always inspect the Neck Bushing for any signs of damage before use. Do not use if damaged.
- Keep the Neck Bushing out of reach of children and vulnerable individuals.
- Store the Neck Bushing in a safe and dry place to prevent rust and damage.
- Follow all local regulations and guidelines related to reloading and handling of ammunition components.

Specific Safety Precautions for Use

- Wear appropriate personal protective equipment (PPE), such as safety glasses and gloves, when using the Neck Bushing.
- Do not exceed the recommended specifications for the Neck Bushing, including the diameter and material limits.
- Ensure that the reloading die and the Neck Bushing are compatible before use.
- Avoid using excessive force during operation to prevent injury or damage to the product.
- Be aware of the potential hazards associated with reloading ammunition. Follow all safety protocols related to ammunition handling.

Instructions for Installation and Usage

1. Installation:

- Ensure that your reloading press is turned off and unplugged before installation.
- Remove the existing bushing from your reloading die if applicable.
- Insert the Neck Bushing into the reloading die, ensuring a snug fit.
- Tighten the locking mechanism of the die to secure the Neck Bushing in place.

2. Usage:

- Prepare your brass cases according to standard reloading practices.
- Insert the brass case into the reloading press with the Neck Bushing properly aligned.
- Apply even pressure to resize the neck of the brass case.
- Inspect the resized case for quality and accuracy before proceeding with further reloading steps.
- Clean the Neck Bushing after use to maintain its precision and longevity.

Disposal Instructions

- Dispose of the Neck Bushing in accordance with local waste disposal regulations.
- Do not dispose of the Neck Bushing in regular household waste if it is damaged or contains hazardous materials.
- Consider recycling options for metal components where applicable.

Contact Information for Further Support

For any questions or concerns regarding the Neck Bushing, please consult the manufacturer's website or customer service for assistance. Ensure that you have the product details available for reference.

Important Note

This safety instruction guide is designed to provide essential safety information and should be kept for future reference. Always prioritize safety when using the Neck Bushing and follow all guidelines outlined in this document to ensure a safe reloading experience.