

Neck Bushing ⌀15-9,27/.3650

Neck sizing bushing made from high-quality hardened steel, precision-ground internally and externally in a single setup on CNC machines – ensuring perfect concentricity and maximum dimensional accuracy. Designed for precise neck sizing. Suitable for original reloading dies from Triebel Waffenwerkzeuge.



Attributes

- Name: Neck Bushing ⌀15-9,27/.3650
- Manufacturer: TRIEBEL
- Product no.: EU2017774
- Mfr. No.: 3000241V-09.27
- Diameter mm: 15 / 9,27
- Delivery weight: 0.02kg
- Shipping height: 25mm
- Shipping width: 60mm
- Shipping length: 50mm
- EAN/UPC: 3000241V-09.27

Table of Contents

- [Startpage](#)
- [English: Neck Bushing Safety Instruction Guide](#)

Neck Bushing Safety Instruction Guide

Introduction

Thank you for purchasing the Neck Bushing. This guide provides essential safety instructions and usage information to ensure safe and effective use of the product. Please read this guide carefully before using the Neck Bushing.

General Safety Guidelines

- Ensure that the Neck Bushing is used only for its intended purpose, which is neck sizing.
- Always inspect the Neck Bushing for any signs of damage or wear before use.
- Keep the Neck Bushing out of reach of children and vulnerable individuals.
- Follow all local laws and regulations regarding the use of reloading equipment.
- Report any unsafe conditions or incidents to the appropriate authorities.

Specific Safety Precautions for Use

- Always wear appropriate personal protective equipment (PPE) such as safety glasses and gloves when handling the Neck Bushing.
- Ensure that the work area is clean and free of obstructions to prevent accidents.
- Do not exceed the recommended specifications for the Neck Bushing, including size and usage limits.
- Avoid using the Neck Bushing if you are under the influence of drugs or alcohol.
- Store the Neck Bushing in a dry, cool place to prevent rust and damage.

Instructions for Installation and Usage

- Before installation, ensure that your reloading die is compatible with the Neck Bushing.
- To install the Neck Bushing:
 1. Remove the existing bushing from your reloading die.
 2. Clean the die and the area where the bushing will be installed.
 3. Carefully insert the Neck Bushing into the die, ensuring it is seated properly.
 4. Secure the bushing according to the manufacturer's instructions.
- To use the Neck Bushing:
 1. Prepare your brass cases according to standard reloading procedures.
 2. Place the brass case into the reloading die with the installed Neck Bushing.
 3. Follow your reloading press's instructions to size the neck of the brass case.
 4. Inspect the sized case for quality and ensure it meets your specifications.

Disposal Instructions

- Dispose of the Neck Bushing responsibly. Do not throw it in regular household waste.
- Check local regulations for proper disposal methods of metal products.
- If the Neck Bushing is damaged or no longer usable, consider recycling it at a designated recycling facility.

Contact Information for Further Support

For any questions or concerns regarding the Neck Bushing, please reach out to the designated EU contact point for safety inquiries.

By following these safety instructions, you can help ensure a safe and effective experience with your Neck Bushing. Thank you for your attention to these important guidelines.