

Neck Bushing ⌀15-9,40/.3701

[Reloading](#) > [Reloading Dies](#) > [Neck Size Bushings](#)

Neck sizing bushing made from high-quality hardened steel, precision-ground internally and externally in a single setup on CNC machines – ensuring perfect concentricity and maximum dimensional accuracy. Designed for precise neck sizing. Suitable for original reloading dies from Triebel Waffenwerkzeuge.



Attributes

- Name: [Neck Bushing ⌀15-9,40/.3701](#)
- Manufacturer: [TRIEBEL](#)
- Product no.: EU2017782
- Mfr. No.: 3000241V-09.40
- Diameter mm: 15 / 9,40
- Delivery weight: 0.02kg
- Shipping height: 25mm
- Shipping width: 60mm
- Shipping length: 50mm
- EAN/UPC: 3000241V-09.40

Table of Contents

- [Startpage](#)
- [Neck Bushing Safety Instruction Guide](#)
- [About Us](#)

Neck Bushing Safety Instruction Guide

Introduction

Thank you for choosing the Neck Bushing, designed for precise neck sizing in reloading applications. This guide provides essential safety instructions to ensure the safe and effective use of the product in compliance with the EU General Product Safety Regulation (GPSR).

General Safety Guidelines

- Ensure that the Neck Bushing is used only for its intended purpose of neck sizing in reloading.
- Always handle the Neck Bushing with care to avoid injury.
- Keep the product out of reach of children and vulnerable individuals.
- Regularly inspect the Neck Bushing for any signs of wear or damage before use.
- Report any unsafe conditions or accidents to the appropriate authorities.

Specific Safety Precautions for Use

- Always wear appropriate personal protective equipment (PPE), such as safety glasses and gloves, when using the Neck Bushing.
- Ensure the reloading press is stable and securely mounted before attaching the Neck Bushing.
- Do not exceed the manufacturer's specifications for the Neck Bushing to avoid potential hazards.
- Avoid using the Neck Bushing if it appears damaged or worn.
- Follow all manufacturer instructions for the reloading process to prevent accidents.

Instructions for Installation and Usage

1. Installation:

- Ensure the reloading press is powered off and unplugged before installation.
- Carefully remove the existing bushing from the reloading die if applicable.
- Insert the Neck Bushing into the die, ensuring it fits snugly and securely.
- Tighten any screws or fasteners to hold the bushing in place.

2. Usage:

- Prepare your brass cases according to standard reloading procedures.
- Insert the case into the reloading press with the Neck Bushing properly aligned.
- Gradually apply pressure to size the neck of the case, ensuring even and controlled pressure.
- Remove the sized case and inspect for proper sizing and any defects.
- Clean the Neck Bushing after use to maintain its precision and longevity.

Disposal Instructions

- Dispose of the Neck Bushing in accordance with local regulations for metal products.
- Do not dispose of the Neck Bushing in regular household waste.
- Consider recycling options for metal components to minimize environmental impact.

Contact Information for Further Support

For any safety inquiries or concerns regarding the Neck Bushing, please refer to the manufacturer's contact information provided on the product packaging or manual.

By following these safety instructions, you can ensure a safe and effective experience while using the Neck

Bushing. Thank you for prioritizing safety in your reloading activities.

About Us

Brownells UK

Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

Unit 1, Laughing Dog Industrial Estate
London Road
Rugby
Warwickshire
CV23 9LP

www.brownells.co.uk