

Neck Bushing ⌀15-9,84/.3874

Neck sizing bushing made from high-quality hardened steel, precision-ground internally and externally in a single setup on CNC machines – ensuring perfect concentricity and maximum dimensional accuracy. Designed for precise neck sizing. Suitable for original reloading dies from Triebel Waffenwerkzeuge.



Attributes

- Name: Neck Bushing ⌀15-9,84/.3874
- Manufacturer: TRIEBEL
- Product no.: EU2017792
- Mfr. No.: 3000241V-09.84
- Diameter mm: 15 / 9,84
- Delivery weight: 0.02kg
- Shipping height: 25mm
- Shipping width: 60mm
- Shipping length: 50mm
- EAN/UPC: 3000241V-09.84

Table of Contents

- [Startpage](#)
- [English: Neck Bushing Safety Instructions](#)

Neck Bushing Safety Instructions

Introduction

Thank you for choosing the Neck Bushing. This product is designed for precise neck sizing in reloading applications. To ensure your safety and the effective use of this product, please read and follow these safety instructions carefully.

General Safety Guidelines

- Ensure that the Neck Bushing is used only for its intended purpose, which is neck sizing of cartridges.
- Always inspect the Neck Bushing for any signs of damage or wear before use.
- Keep the Neck Bushing out of reach of children and vulnerable individuals.
- Do not modify or tamper with the Neck Bushing in any way.
- Use protective eyewear when operating any machinery involved in the reloading process.
- Follow all relevant safety protocols for the reloading process and equipment.

Specific Safety Precautions for Use

- Only use the Neck Bushing with compatible reloading dies from Triebel Waffenwerkzeuge.
- Ensure that the Neck Bushing is securely fitted to the reloading die before use.
- Avoid using excessive force when resizing to prevent damage to the bushing or the reloading equipment.
- Store the Neck Bushing in a dry, safe place when not in use to prevent corrosion and damage.
- If the bushing becomes stuck, do not force it; instead, consult the manufacturer's instructions for safe removal.

Instructions for Installation and Usage

1. Preparation:

- Gather all necessary tools and materials for the reloading process.
- Ensure that your reloading workspace is clean and organized.

2. Installation:

- Carefully remove the Neck Bushing from its packaging.
- Insert the Neck Bushing into the reloading die, ensuring it fits snugly.
- Tighten the die according to the manufacturer's specifications to secure the bushing.

3. Usage:

- Place the cartridge case into the reloading press.
- Operate the press slowly and steadily to resize the neck of the cartridge.
- Inspect the resized cartridge for any defects or issues before proceeding with further reloading steps.

4. PostUsage:

- Clean the Neck Bushing after each use to remove any residue.
- Store the bushing in its protective case or a designated storage area.

Disposal Instructions

- Dispose of the Neck Bushing in accordance with local regulations for metal recycling.

- Do not dispose of the product in regular household waste.
- If the bushing is damaged beyond use, ensure it is disposed of safely to prevent injury.

Contact Information for Further Support

For any inquiries regarding safety, usage, or product recalls, please refer to the manufacturer's contact details provided in the product packaging or on the official website.

By following these safety instructions, you can ensure safe and effective use of the Neck Bushing while adhering to the EU General Product Safety Regulation (GPSR). Always prioritize safety and stay informed about any updates regarding product recalls or safety notices.