

Neck Bushing ⌀15-10,20/.4016

Neck sizing bushing made from high-quality hardened steel, precision-ground internally and externally in a single setup on CNC machines – ensuring perfect concentricity and maximum dimensional accuracy. Designed for precise neck sizing. Suitable for original reloading dies from Triebel Waffenwerkzeuge.



Attributes

- Name: Neck Bushing ⌀15-10,20/.4016
- Manufacturer: TRIEBEL
- Product no.: EU2017801
- Mfr. No.: 3000241V-10.20
- Diameter mm: 15 / 10,20
- Delivery weight: 0.02kg
- Shipping height: 25mm
- Shipping width: 60mm
- Shipping length: 50mm
- EAN/UPC: 3000241V-10.20

Table of Contents

- [Startpage](#)
- [English: Neck Bushing Safety Instruction Guide](#)

Neck Bushing Safety Instruction Guide

Introduction

Thank you for choosing the Neck Bushing, designed for precise neck sizing in reloading applications. This guide provides essential safety instructions and guidelines to ensure safe and effective use of the product, in compliance with the EU General Product Safety Regulation (GPSR).

General Safety Guidelines

- Always read and understand all instructions before using the product.
- Ensure that the Neck Bushing is compatible with your reloading die.
- Store the Neck Bushing in a safe place away from children and pets.
- Inspect the Neck Bushing for any signs of damage or wear before each use.
- Report any unsafe products or accidents to the relevant authorities.
- Check for recall updates on the EU's Safety Gate platform.

Specific Safety Precautions for Use

- Use personal protective equipment (PPE), such as safety glasses and gloves, when handling the Neck Bushing.
- Avoid using excessive force when sizing, as this may damage the bushing or affect its performance.
- Ensure that your reloading press is properly calibrated and functioning before use.
- Keep work areas clean and free from clutter to prevent accidents.
- Do not attempt to modify or alter the Neck Bushing in any way.

Instructions for Installation and Usage

1. Installation:

- Ensure the reloading press is turned off and unplugged before installation.
- Remove the existing bushing from the reloading die.
- Insert the Neck Bushing into the die, ensuring it is seated properly.
- Secure the bushing according to the manufacturer's instructions.

2. Usage:

- Prepare your brass cases according to standard reloading procedures.
- Insert the brass case into the reloading die with the Neck Bushing installed.
- Apply pressure to the handle of the reloading press to size the neck of the case.
- Release the handle and remove the sized case from the die.
- Inspect the sized case for consistency and accuracy.

Disposal Instructions

- Dispose of the Neck Bushing in accordance with local regulations.
- Do not dispose of the product in household waste.
- Consider recycling options if applicable.

Contact Information for Further Support

For any inquiries regarding safety or product support, please consult your retailer or manufacturer's website for further assistance.

By following these guidelines, you can ensure the safe and effective use of the Neck Bushing. Your safety is our priority. Thank you for your attention and adherence to these safety instructions.