

Neck Bushing ⌀15-10,30/.4055

Neck sizing bushing made from high-quality hardened steel, precision-ground internally and externally in a single setup on CNC machines – ensuring perfect concentricity and maximum dimensional accuracy. Designed for precise neck sizing. Suitable for original reloading dies from Triebel Waffenwerkzeuge.



Attributes

- Name: Neck Bushing ⌀15-10,30/.4055
- Manufacturer: TRIEBEL
- Product no.: EU2017803
- Mfr. No.: 3000241V-10.30
- Diameter mm: 15 / 10,30
- Delivery weight: 0.02kg
- Shipping height: 25mm
- Shipping width: 60mm
- Shipping length: 50mm
- EAN/UPC: 3000241V-10.30

Table of Contents

- [Startpage](#)
- [English: Neck Bushing Safety Instruction Guide](#)

Neck Bushing Safety Instruction Guide

Introduction

Thank you for choosing the Neck Bushing. This guide provides important safety information and instructions to ensure safe and effective use of the product. Please read this guide carefully before using the Neck Bushing.

General Safety Guidelines

- Ensure the Neck Bushing is used only for its intended purpose: precise neck sizing of cartridges.
- Always inspect the Neck Bushing for any damage or wear before use. Do not use if damaged.
- Keep the Neck Bushing out of reach of children and vulnerable individuals.
- Follow all manufacturer instructions for use and maintenance.
- Report any unsafe products or accidents to the appropriate authorities.
- Regularly check for recall updates on the EU's Safety Gate platform.

Specific Safety Precautions for Use

- Wear appropriate personal protective equipment (PPE), such as safety glasses and gloves, when handling the Neck Bushing.
- Avoid contact with sharp edges or burrs that may be present on the Neck Bushing.
- Use the Neck Bushing only with compatible reloading dies from Triebel Waffenwerkzeuge.
- Do not exceed the specified diameter for the Neck Bushing. Ensure it matches the specifications for the cartridges being resized.
- Ensure that the work area is clean and free from distractions to avoid accidents during use.

Instructions for Installation and Usage

1. Preparation:

- Gather all necessary tools and materials before starting.
- Ensure the reloading press is securely mounted and stable.

2. Installation:

- Insert the Neck Bushing into the appropriate die according to the manufacturer's instructions.
- Ensure it is seated properly and securely fastened.

3. Usage:

- Adjust the reloading press to the correct settings as per the specifications for the cartridges.
- Carefully insert the cartridge case into the die with the Neck Bushing.
- Apply steady pressure to resize the neck of the cartridge case, ensuring that the operation is smooth and controlled.
- After resizing, remove the cartridge case and inspect it for any defects.

4. PostUsage:

- Clean the Neck Bushing after each use to remove any debris or residue.
- Store the Neck Bushing in a safe, dry place, away from moisture and extreme temperatures.

Disposal Instructions

- Dispose of any damaged or worn Neck Bushings according to local regulations for metal recycling.

- Do not dispose of in regular household waste. Check with local waste management authorities for proper disposal methods.

Contact Information for Further Support

For any questions or concerns regarding the Neck Bushing, please refer to the manufacturer's website or contact their customer support for assistance.

Thank you for your attention to these safety instructions. Proper use and care of the Neck Bushing will ensure its longevity and performance in your reloading activities.