

Neck Bushing ⌀15-10,75/.4232

Neck sizing bushing made from high-quality hardened steel, precision-ground internally and externally in a single setup on CNC machines – ensuring perfect concentricity and maximum dimensional accuracy. Designed for precise neck sizing. Suitable for original reloading dies from Triebel Waffenwerkzeuge.



Attributes

- Name: Neck Bushing ⌀15-10,75/.4232
- Manufacturer: TRIEBEL
- Product no.: EU2017806
- Mfr. No.: 3000241V-10.75
- Diameter mm: 15 / 10,75
- Delivery weight: 0.02kg
- Shipping height: 25mm
- Shipping width: 60mm
- Shipping length: 50mm
- EAN/UPC: 3000241V-10.75

Table of Contents

- [Startpage](#)
- [English: Neck Bushing Safety Instruction Guide](#)

Neck Bushing Safety Instruction Guide

Introduction

Thank you for purchasing the Neck Bushing. This guide provides important safety instructions and information to ensure the safe and effective use of this product. Please read this guide carefully before using the Neck Bushing.

General Safety Guidelines

- Ensure that the Neck Bushing is used only for its intended purpose of neck sizing.
- Always wear appropriate personal protective equipment (PPE), such as safety glasses and gloves, when handling or using the Neck Bushing.
- Keep the Neck Bushing out of reach of children and vulnerable individuals.
- Regularly inspect the Neck Bushing for any signs of damage or wear before each use.
- Report any unsafe conditions or incidents to the relevant authorities.

Specific Safety Precautions for Use

- Only use the Neck Bushing with compatible reloading dies from Triebel Waffenwerkzeuge.
- Do not exceed the recommended dimensions and specifications for use.
- Avoid using the Neck Bushing if it appears damaged or worn.
- Ensure that the work area is clean and free of obstructions before using the Neck Bushing.
- Do not attempt to modify or alter the Neck Bushing in any way.

Instructions for Installation and Usage

1. Installation:

- Ensure that your reloading die is securely mounted in your reloading press.
- Insert the Neck Bushing into the designated chamber of the reloading die, ensuring it is seated correctly.
- Tighten any locking mechanisms to secure the Neck Bushing in place.

2. Usage:

- Prepare your brass casing according to standard reloading practices.
- Place the casing into the reloading press and align it with the Neck Bushing.
- Apply steady pressure to resize the neck of the casing. Do not force the press beyond its limits.
- After resizing, carefully remove the casing and inspect it for any defects.
- Clean the Neck Bushing after each use to maintain its precision and performance.

Disposal Instructions

- Dispose of the Neck Bushing responsibly according to local regulations.
- If the Neck Bushing is damaged beyond repair, it should be recycled if possible.
- Do not dispose of the Neck Bushing in regular household waste.

Contact Information for Further Support

For any questions or concerns regarding the Neck Bushing, please contact the manufacturer or your point of purchase. Ensure that you have your product details available for reference.

By following these safety instructions, you can ensure a safe and effective experience when using the Neck

Bushing. Thank you for your attention to safety.