

Neck Bushing ⌀15-10,79/.4248

Neck sizing bushing made from high-quality hardened steel, precision-ground internally and externally in a single setup on CNC machines – ensuring perfect concentricity and maximum dimensional accuracy. Designed for precise neck sizing. Suitable for original reloading dies from Triebel Waffenwerkzeuge.



Attributes

- Name: Neck Bushing ⌀15-10,79/.4248
- Manufacturer: TRIEBEL
- Product no.: EU2017808
- Mfr. No.: 3000241V-10.79
- Diameter mm: 15 / 10,79
- Delivery weight: 0.02kg
- Shipping height: 25mm
- Shipping width: 60mm
- Shipping length: 50mm
- EAN/UPC: 3000241V-10.79

Table of Contents

- [Startpage](#)
- [English: Neck Bushing Safety Instructions](#)

Neck Bushing Safety Instructions

Introduction

Thank you for choosing the Neck Bushing. This product is designed for precise neck sizing and is made from highquality hardened steel. To ensure safe and effective use, please carefully read and follow these safety instructions.

General Safety Guidelines

- Ensure that the Neck Bushing is used only for its intended purpose of neck sizing in reloading processes.
- Always inspect the Neck Bushing for any signs of damage or wear before use. Do not use if damaged.
- Keep the Neck Bushing out of reach of children and vulnerable individuals to prevent accidental injury.
- Use the Neck Bushing in a wellventilated area to avoid inhalation of any particles generated during use.
- Follow all local regulations and guidelines when using reloading equipment.

Specific Safety Precautions for Use

- Wear appropriate personal protective equipment (PPE), including safety glasses and gloves, when using the Neck Bushing.
- Do not exceed the specified diameter limits of the Neck Bushing, as this may cause malfunction or safety hazards.
- Avoid using excessive force during the neck sizing process to prevent damage to the bushing or the reloading die.
- Ensure that all equipment used with the Neck Bushing is compatible and in good working condition.
- Be cautious of sharp edges on the Neck Bushing. Handle with care to avoid cuts or injuries.

Instructions for Installation and Usage

1. Preparation:

- Gather all necessary tools and equipment, including the reloading die, press, and the Neck Bushing.
- Ensure your workspace is clean and organized.

2. Installation:

- Remove the reloading die from the press if it is already installed.
- Insert the Neck Bushing into the reloading die according to the manufacturer's specifications.
- Secure the reloading die back into the press, ensuring it is tightly fastened.

3. Usage:

- Prepare your brass cases for neck sizing by cleaning and inspecting them.
- Place the brass case into the press and ensure it is properly aligned with the Neck Bushing.
- Slowly and steadily apply pressure to size the neck of the brass case.
- After sizing, remove the brass case and inspect it for proper sizing.

4. PostUsage:

- Clean the Neck Bushing after use to remove any debris or residue.
- Store the Neck Bushing in a safe, dry place away from moisture and extreme temperatures.

Disposal Instructions

- Dispose of the Neck Bushing in accordance with local regulations regarding metal recycling.
- Do not dispose of the Neck Bushing in regular household waste.

Contact Information for Further Support

For any safety inquiries or concerns regarding the Neck Bushing, please refer to the manufacturer's contact details provided with your product packaging or visit their official website.

Thank you for prioritizing safety while using the Neck Bushing. Your adherence to these guidelines ensures a safe and effective reloading experience.