

Neck Bushing ⌀15-10,96/.4315

Neck sizing bushing made from high-quality hardened steel, precision-ground internally and externally in a single setup on CNC machines – ensuring perfect concentricity and maximum dimensional accuracy. Designed for precise neck sizing. Suitable for original reloading dies from Triebel Waffenwerkzeuge.



Attributes

- Name: Neck Bushing ⌀15-10,96/.4315
- Manufacturer: TRIEBEL
- Product no.: EU2017817
- Mfr. No.: 3000241V-10.96
- Diameter mm: 15 / 10,96
- Delivery weight: 0.02kg
- Shipping height: 25mm
- Shipping width: 60mm
- Shipping length: 50mm
- EAN/UPC: 3000241V-10.96

Table of Contents

- [Startpage](#)
- [English: Neck Bushing Safety Instruction Guide](#)

Neck Bushing Safety Instruction Guide

Introduction

Thank you for choosing the Neck Bushing ⌀1510,96/.4315. This guide provides essential safety instructions to ensure the safe and effective use of this product. Please read this document carefully before using the Neck Bushing to familiarize yourself with safety precautions and usage instructions.

General Safety Guidelines

- Ensure that the Neck Bushing is used only for its intended purpose of neck sizing in reloading applications.
- Always inspect the bushing for any signs of damage or wear before each use. Do not use if damaged.
- Keep the bushing out of reach of children and vulnerable individuals to prevent accidents.
- Use protective eyewear and gloves during handling and installation to avoid injury.
- Follow all local regulations regarding the use and disposal of reloading components.

Specific Safety Precautions for Use

- Do not exceed the recommended specifications for the Neck Bushing to prevent malfunction.
- Ensure that the bushing is properly secured in the reloading die before use.
- Avoid applying excessive force during neck sizing to prevent damage to the bushing and ensure consistent results.
- Always work in a wellventilated area to avoid inhaling any particles generated during the reloading process.
- In case of an accident or injury, seek medical assistance immediately.

Instructions for Installation and Usage

1. Preparation:

- Gather all necessary tools and materials, including the Neck Bushing, reloading die, and protective equipment.
- Ensure your workspace is clean and organized to minimize risks.

2. Installation:

- Carefully remove the Neck Bushing from its packaging.
- Inspect the bushing for any visible defects or damage.
- Insert the Neck Bushing into the appropriate reloading die, ensuring it is seated correctly.
- Secure the die according to the manufacturer's instructions.

3. Usage:

- Follow the reloading die's operating instructions to perform neck sizing.
- Monitor the process closely to ensure that the bushing is functioning correctly.
- If you notice any unusual sounds or performance issues, stop using the bushing immediately and inspect it for damage.

4. PostUse Care:

- After use, clean the Neck Bushing to remove any debris or residue.
- Store the bushing in a safe, dry place away from moisture and direct sunlight.

Disposal Instructions

- Dispose of the Neck Bushing in accordance with local regulations for metal waste.
- Do not dispose of the bushing in regular household waste.
- Consider recycling options if available in your area.

Contact Information for Further Support

For any safety inquiries or concerns regarding the Neck Bushing, please reach out to the designated EU contact point for product safety inquiries.

By following these safety guidelines and instructions, you can ensure a safe and efficient experience with the Neck Bushing. Thank you for your attention to safety, and happy reloading!