

Neck Bushing ⌀15-11,35/.4469

Neck sizing bushing made from high-quality hardened steel, precision-ground internally and externally in a single setup on CNC machines – ensuring perfect concentricity and maximum dimensional accuracy. Designed for precise neck sizing. Suitable for original reloading dies from Triebel Waffenwerkzeuge.



Attributes

- Name: Neck Bushing ⌀15-11,35/.4469
- Manufacturer: TRIEBEL
- Product no.: EU2017827
- Mfr. No.: 3000241V-11.35
- Diameter mm: 15 / 11,35
- Delivery weight: 0.02kg
- Shipping height: 25mm
- Shipping width: 60mm
- Shipping length: 50mm
- EAN/UPC: 3000241V-11.35

Table of Contents

- [Startpage](#)
- [English: Neck Bushing Safety Instruction Guide](#)

Neck Bushing Safety Instruction Guide

Introduction

Thank you for choosing the Neck Bushing. This guide provides essential safety instructions to ensure the safe and effective use of the product. Please read this document carefully before using the Neck Bushing to avoid any potential hazards.

General Safety Guidelines

- Always ensure that the Neck Bushing is used in accordance with the manufacturer's instructions.
- Inspect the Neck Bushing before each use for any signs of damage or wear.
- Store the Neck Bushing in a dry place and away from children.
- Do not use the Neck Bushing for any purpose other than its intended use.
- If you experience any issues while using the Neck Bushing, cease use immediately and consult a professional.

Specific Safety Precautions for Use

- Ensure that you are wearing appropriate safety gear, including safety glasses and gloves, when using the Neck Bushing.
- Avoid placing your hands near the bushing during operation to prevent injury.
- Do not exceed the recommended sizing limits specified by the manufacturer.
- Keep your work area clean and organized to prevent accidents.
- Ensure that the Neck Bushing is securely attached to the reloading die before use.

Instructions for Installation and Usage

1. Installation:

- Carefully remove the Neck Bushing from its packaging.
- Inspect the bushing for any visible defects.
- Insert the Neck Bushing into the appropriate reloading die, ensuring it fits snugly.
- Tighten the locking mechanism of the die to secure the bushing in place.

2. Usage:

- Prepare your cases according to standard reloading practices.
- Insert the case into the reloading die with the Neck Bushing.
- Operate the reloading press smoothly, applying consistent pressure.
- After sizing, remove the case and inspect it for proper sizing.
- Clean the Neck Bushing regularly to maintain its performance.

Disposal Instructions

- Dispose of any damaged or worn Neck Bushings in accordance with local regulations for metal waste.
- Do not throw the Neck Bushing in regular household trash.
- Consider recycling options available in your area for metal products.

Contact Information for Further Support

For any safety inquiries, please refer to the product packaging for the EU-based contact information. You can also check for recall updates on the EU's Safety Gate platform.

By following these safety instructions, you can ensure a safe and effective experience with the Neck Bushing.
Thank you for your attention to these important guidelines.