

Neck Bushing ⌀15-11,39/.4484

Neck sizing bushing made from high-quality hardened steel, precision-ground internally and externally in a single setup on CNC machines – ensuring perfect concentricity and maximum dimensional accuracy. Designed for precise neck sizing. Suitable for original reloading dies from Triebel Waffenwerkzeuge.



Attributes

- Name: Neck Bushing ⌀15-11,39/.4484
- Manufacturer: TRIEBEL
- Product no.: EU2017828
- Mfr. No.: 3000241V-11.39
- Diameter mm: 15 / 11,39
- Delivery weight: 0.02kg
- Shipping height: 25mm
- Shipping width: 60mm
- Shipping length: 50mm
- EAN/UPC: 3000241V-11.39

Table of Contents

- [Startpage](#)
- [English: Neck Bushing Safety Instruction Guide](#)

Neck Bushing Safety Instruction Guide

Introduction

Thank you for choosing the Neck Bushing. This guide provides essential safety information to ensure the safe use and handling of the product. It is designed to meet the requirements of the EU General Product Safety Regulation (GPSR) and to protect consumers from potential hazards.

General Safety Guidelines

- Always read and understand all instructions before using the Neck Bushing.
- Ensure that the product is used for its intended purpose only, which is precise neck sizing in reloading applications.
- Keep the product out of reach of children and vulnerable individuals to prevent accidents.
- Regularly inspect the Neck Bushing for any signs of wear or damage. Do not use if damaged.
- Follow all local regulations regarding the use and disposal of reloading equipment.

Specific Safety Precautions for Use

- Use appropriate personal protective equipment (PPE) such as safety glasses and gloves when handling the Neck Bushing.
- Ensure that the bushing is securely installed in the reloading die before use to avoid accidents.
- Avoid using excessive force when resizing, as this may damage the bushing or cause injury.
- Do not attempt to modify or repair the Neck Bushing. Seek professional help if needed.
- Store the Neck Bushing in a dry, cool place to prevent rust and degradation.

Instructions for Installation and Usage

1. Installation:

- Ensure that your reloading die is clean and free of debris.
- Carefully insert the Neck Bushing into the reloading die, ensuring it is seated properly.
- Tighten the locking mechanism of the die to secure the bushing in place.

2. Usage:

- Prepare your brass cases according to standard reloading practices.
- Place the brass case into the reloading die.
- Operate the reloading press slowly and steadily to resize the neck of the brass case.
- After resizing, remove the brass case and inspect it for proper sizing.

Disposal Instructions

- Dispose of the Neck Bushing in accordance with local regulations regarding metal waste.
- If the product is damaged beyond use, do not attempt to repair it. Instead, dispose of it responsibly.

Contact Information for Further Support

For any safety inquiries or concerns regarding the Neck Bushing, please refer to the product packaging or visit the manufacturer's website for more information.

By following these guidelines, you can ensure the safe use of your Neck Bushing, helping to maintain a secure and effective reloading process. Thank you for prioritizing safety!