

Accessories - ZFIX Alignment Tool

Initial Setup: Place the riflescope into the mounting rings, tightening the clamping screws just enough so that the scope tube can still be rotated freely.



Securing the Tool: Position the ZFIX into one of the Picatinny rail slots and secure it to the firearm using the included rubber bands. Ensure that the ZFIX sits completely flat and flush inside the groove.

Alignment: Look through the eyepiece (ocular) and rotate the riflescope until the crosshairs perfectly align with the horizontal reference lines marked on the ZFIX.

Finalization: Once properly aligned, tighten the mounting ring screws according to the manufacturer's specifications.

Attributes

- Name: ZFIX Alignment Tool
- Manufacturer: ERATAC
- Product no.: EU2018109
- Mfr. No.: T0810-0000
- Colour: Black
- Delivery weight: 1kg
- Shipping height: 100mm
- Shipping width: 100mm
- Shipping length: 100mm
- EAN/UPC: T0810-0000

Table of Contents

- [Startpage](#)
- [English: Accessories ZFIX Alignment Tool Safety Instructions](#)

Accessories ZFIX Alignment Tool Safety Instructions

Introduction

Thank you for choosing the Accessories ZFIX Alignment Tool. This guide provides essential safety instructions to ensure the safe use and proper installation of the tool. Please read this manual carefully before use to understand the safety precautions and operational guidelines.

General Safety Guidelines

- Always ensure that the ZFIX Alignment Tool is used in accordance with the manufacturer's instructions.
- Keep the tool out of reach of children and vulnerable individuals.
- Regularly inspect the tool for any signs of wear or damage before use.
- Do not use the tool if it appears to be damaged or malfunctioning.
- Report any unsafe conditions or accidents involving the product to the relevant authorities.

Specific Safety Precautions for Use

- Ensure that the rifle and the ZFIX Alignment Tool are securely positioned before use to prevent accidents.
- Avoid placing your fingers near the clamping screws while tightening to prevent injury.
- Use the tool only for its intended purpose, which is aligning riflescopes.
- Do not modify the tool in any way that could compromise its safety or functionality.
- Always wear appropriate eye protection when using the tool, especially in outdoor or shooting environments.

Instructions for Installation and Usage

1. Initial Setup:

- Place the riflescope into the mounting rings, tightening the clamping screws just enough so that the scope tube can still be rotated freely.

2. Securing the Tool:

- Position the ZFIX into one of the Picatinny rail slots.
- Secure it to the firearm using the included rubber bands.
- Ensure that the ZFIX sits completely flat and flush inside the groove.

3. Alignment:

- Look through the eyepiece (ocular) of the riflescope.
- Rotate the riflescope until the crosshairs perfectly align with the horizontal reference lines marked on the ZFIX.

4. Finalization:

- Once properly aligned, tighten the mounting ring screws according to the manufacturer's specifications.

Disposal Instructions

- Dispose of the Accessories ZFIX Alignment Tool in accordance with local regulations.

- Do not dispose of the tool in household waste. Instead, use designated recycling facilities or collection points for electronic products.
- Ensure that any packaging materials are also disposed of responsibly.

Contact Information for Further Support

For any questions or concerns regarding the Accessories ZFIX Alignment Tool, please refer to the manufacturer's website or contact their customer service for assistance.

By following these safety instructions, you can ensure a safe and effective experience with your Accessories ZFIX Alignment Tool. Thank you for your attention to safety and compliance with the EU General Product Safety Regulation.