

Hold Down Die & Swage Setter - Indexer Return Spring for Dillon XL750/XL650 - 13791

Keep your Dillon Precision reloading press running at full capacity. This premium spare part is built to meet strict original equipment specifications, providing an exact fit and the rugged durability needed to sustain smooth, continuous cycling session after session.



Attributes

- Name: Indexer Return Spring for Dillon XL750/XL650 - 13791
- Manufacturer: ARMANOV
- Product no.: EU2018368
- Mfr. No.: INDRETSPR650
- Colour: Black
- Delivery weight: 1kg
- Shipping height: 100mm
- Shipping width: 100mm
- Shipping length: 100mm

Table of Contents

- [Startpage](#)
- [English: Safety Instruction Guide for Hold Down Die & Swage Setter Indexer Return Spring for Dillon XL750/XL650 13791](#)

Safety Instruction Guide for Hold Down Die & Swage Setter Indexer Return Spring for Dillon XL750/XL650 13791

Introduction

Thank you for choosing the Hold Down Die & Swage Setter Indexer Return Spring for your Dillon XL750/XL650 reloading press. This premium spare part is designed to ensure your reloading press operates at full capacity while maintaining safety and efficiency. Please read this safety instruction guide carefully to ensure safe use and compliance with EU regulations.

General Safety Guidelines

- Always use the product as intended and according to the manufacturer's instructions.
- Ensure that all safety equipment is in place before using the reloading press.
- Regularly inspect the spring and other components for wear and damage.
- Keep the product out of reach of children and vulnerable individuals.
- Report any unsafe products or accidents to the relevant authorities.
- Check for recall updates on the EU's Safety Gate platform.

Specific Safety Precautions for Use

- Before installation, ensure the reloading press is unplugged and not in use.
- Do not exceed the recommended load capacity of the reloading press.
- Avoid using the product if it is damaged or shows signs of wear.
- Ensure that the spring is properly installed to avoid malfunction.
- Do not modify the spring or the reloading press in any way.
- Wear appropriate safety gear, such as goggles and gloves, when handling the product.

Instructions for Installation and Usage

1. Preparation:

- Ensure the reloading press is turned off and unplugged.
- Gather necessary tools for installation.

2. Installation Steps:

- Remove the old return spring from the reloading press.
- Carefully align the new Hold Down Die & Swage Setter Indexer Return Spring with the designated mounting points.
- Securely attach the spring, ensuring it is properly seated and aligned.
- Doublecheck all connections to ensure they are tight and secure.

3. Usage Instructions:

- Plug in the reloading press and turn it on.
- Monitor the operation of the reloading press during use.
- If any unusual noises or malfunctions occur, stop using the press immediately and inspect the spring and other components.

4. PostUse Care:

- After use, unplug the reloading press.
- Store the product in a clean, dry place away from children and pets.

Disposal Instructions

- Dispose of the product in accordance with local regulations regarding electronic waste and metal components.
- Do not dispose of the spring in household waste.
- Consider recycling the product if possible.

Contact Information for Further Support

For any questions, concerns, or safety inquiries regarding this product, please refer to the manufacturer's contact point provided with your purchase. Ensure you have the product information ready when seeking assistance.

By following these guidelines, you can ensure the safe and effective use of the Hold Down Die & Swage Setter Indexer Return Spring for your Dillon XL750/XL650 reloading press. Thank you for prioritizing safety and compliance.