

Flag-Printed Grip Tape for Speed Line Magazine Pads - Pawl Spring for Dillon XL750/XL650 - 13938

Ensure the smooth, uninterrupted, and reliable operation of your Dillon Precision reloading press with this premium replacement part. Precision-engineered to match the exact dimensions and strict tolerances of the original component, this spare part guarantees a perfect drop-in fit and seamless, factory-spec functionality.



Attributes

- Name: Pawl Spring for Dillon XL750/XL650 - 13938
- Manufacturer: ARMANOV
- Product no.: EU2018563
- Mfr. No.: PAWSPR650
- Colour: Black
- Delivery weight: 1kg
- Shipping height: 100mm
- Shipping width: 100mm
- Shipping length: 100mm

Table of Contents

- [Startpage](#)
- [English: Safety Instruction Guide for FlagPrinted Grip Tape for Speed Line Magazine Pads Pawl Spring for Dillon XL750/XL650 13938](#)

Safety Instruction Guide for FlagPrinted Grip Tape for Speed Line Magazine Pads Pawl Spring for Dillon XL750/XL650 13938

Introduction

Thank you for choosing the FlagPrinted Grip Tape for Speed Line Magazine Pads Pawl Spring for Dillon XL750/XL650. This guide provides essential safety instructions to ensure safe and effective use of the product. Please read this guide carefully before installation and use.

General Safety Guidelines

- Ensure that the product is used only for its intended purpose.
- Regularly inspect the product for signs of wear or damage.
- Keep the product out of reach of children and vulnerable individuals.
- In case of any malfunction or irregular operation, discontinue use immediately and seek support.
- Report any unsafe products or accidents to the relevant authorities.
- Stay informed about recall updates on the EU's Safety Gate platform.

Specific Safety Precautions for Use

- Always wear appropriate safety gear when handling the product.
- Do not exceed the manufacturer's recommended specifications for use.
- Ensure that the product is installed correctly before operation.
- Avoid using the product in wet or damp conditions.
- Do not modify the product in any way, as this may compromise safety and functionality.
- Be cautious when working with tools and equipment during installation.

Instructions for Installation and Usage

1. Preparation

- Gather all necessary tools for installation.
- Ensure the workspace is clean and organized.

2. Installation Steps

- Remove the old pawl spring from your Dillon XL750/XL650.
- Carefully align the new FlagPrinted Grip Tape with the installation area.
- Insert the new pawl spring, ensuring it fits securely in place.
- Doublecheck that all components are correctly aligned and that there are no obstructions.

3. Usage Instructions

- After installation, conduct a thorough check to ensure proper functionality.
- Operate the Dillon XL750/XL650 according to the manufacturer's guidelines.
- Monitor the product during use for any unusual sounds or behavior.

Disposal Instructions

- Dispose of the product in accordance with local regulations.
- Do not dispose of the product in regular household waste.

- Consider recycling options where available.

Contact Information for Further Support

For any inquiries or support related to the FlagPrinted Grip Tape for Speed Line Magazine Pads Pawl Spring, please refer to the manufacturer's contact information provided on the packaging or product documentation.

By following the guidelines outlined in this safety instruction guide, you can ensure the safe and effective use of the FlagPrinted Grip Tape for Speed Line Magazine Pads Pawl Spring for Dillon XL750/XL650. Thank you for your attention to safety.