

ALPHA GLOCK TRIGGERS (Pull weight 3lb) - GLOCK GEN 6, MEDIUM FRAME (9mm & 40 S&W), RED SAFETY BLADE & SEAR **3lb**

The Timney Alpha Competition Series is designed to transform your large-frame Glock into a match-ready competition firearm. By re-engineering the internal geometry while utilizing stock Glock components, Timney achieves a remarkably light, crisp 3-pound pull without altering or compromising legendary Glock reliability.



Crisp 3-lb. Factory Pull Weight: Delivers a light, smooth, and clean break with an ultra-fast reset to significantly improve speed and shot-to-shot accuracy.

Premium Surface Finish: Features a nickel-Teflon coated sear and trigger bar to ensure friction-free action and maximum corrosion resistance.

Retains OEM Reliability: Designed to work seamlessly with stock Glock internal springs and parts—maintaining full striker safety function.

Safety Shoe Options: Available with an Internal Pivoting Safety (hinged, blade-free design) or an External Safety Blade.

Wide Variety of Colors: Offered in multiple trigger shoe finishes (including Black, Blackout, Timney Gold, Red, Bronze, Silver, Orange, Purple, and Green).

Easy Drop-In Installation: Completely self-contained system; installs quickly without requiring gunsmithing or permanent slide/frame modifications.

Attributes

- Name: GLOCK GEN 6, MEDIUM FRAME (9mm & 40 S&W), RED SAFETY BLADE & SEAR **3lb**
- Manufacturer: TIMNEY
- Product no.: EU2018775
- Mfr. No.: Alpha Glock 6 - Red
- Colour: Red
- Weapon type: Glock
- Delivery weight: 0.09kg
- Shipping height: 51mm
- Shipping width: 102mm
- Shipping length: 191mm
- UPC: 081950616749

Table of Contents

- [Startpage](#)
- [English: Safety Instruction Guide for ALPHA GLOCK TRIGGERS \(Pull weight 3lb\)](#)

Safety Instruction Guide for ALPHA GLOCK TRIGGERS (Pull weight 3lb)

Introduction

Thank you for choosing the ALPHA GLOCK TRIGGERS designed for GLOCK GEN 6, MEDIUM FRAME (9mm & 40 S&W). This guide provides essential safety instructions and guidelines to ensure the safe and effective use of your product. Please read this manual thoroughly before installation and use.

General Safety Guidelines

- Ensure that you are familiar with the operation of your firearm and the specific features of the GLOCK platform.
- Always treat every firearm as if it is loaded.
- Store your firearm and accessories securely, out of reach of children and unauthorized users.
- Regularly inspect your firearm and its components for wear or damage.
- Use only compatible ammunition as specified by the manufacturer.
- Always wear appropriate eye and ear protection when handling firearms.
- In case of any malfunction, do not attempt to fix the issue yourself. Seek professional assistance.

Specific Safety Precautions for Use

- The ALPHA GLOCK TRIGGERS are designed for use with GLOCK GEN 6, MEDIUM FRAME models only. Using them with incompatible models may result in unsafe conditions.
- Ensure that the trigger pull weight of 3lb is appropriate for your shooting needs. If you are unsure, consult a qualified firearms instructor.
- Be aware that modifications to your firearm may affect its reliability and safety. Only use components that are designed for your specific model.
- Avoid using the firearm in environments where it may be exposed to extreme temperatures or moisture, as this may affect the trigger's performance.
- If you experience any unusual behavior or performance from your firearm after installation, stop using it immediately and seek professional advice.

Instructions for Installation and Usage

Installation Instructions

1. **Safety First:** Ensure that your firearm is unloaded and pointed in a safe direction before beginning the installation.
2. **Gather Tools:** Have the necessary tools ready, including a punch tool and a small hammer.
3. **Remove the Slide:** Follow the manufacturer's instructions to safely remove the slide from your GLOCK.
4. **Disassemble the Trigger Mechanism:** Carefully remove the existing trigger components as per the GLOCK user manual.
5. **Install the ALPHA GLOCK TRIGGER:**
 - Insert the new trigger bar and sear into the trigger housing.
 - Ensure that the internal pivoting safety or external safety blade is correctly positioned.
 - Reassemble the trigger mechanism and slide, ensuring all components are securely in place.
6. **Test the Trigger:** Before using the firearm, conduct a function check to ensure that the trigger operates correctly and safely.

Usage Instructions

- Always ensure that your firearm is in good working order before each use.
- Familiarize yourself with the light, crisp 3pound pull weight of the trigger to ensure proper handling and

operation.

- Practice safe firearm handling techniques at all times, especially when using a modified trigger system.

Disposal Instructions

- Dispose of any packaging materials in accordance with local regulations.
- If the ALPHA GLOCK TRIGGERS are no longer usable, consult local waste management authorities for proper disposal methods.
- Ensure that all components are disposed of in a way that prevents unauthorized access.

Contact Information for Further Support

For further assistance or inquiries regarding safety and usage, please reach out to your local firearm dealer or manufacturer. Always ensure that you have access to reliable and professional support for your firearm needs.

By following these guidelines, you can ensure the safe and effective use of your ALPHA GLOCK TRIGGERS. Always prioritize safety and responsible firearm handling practices. Thank you for your attention to these important instructions.