

# Furiosa Chassis Howa 1500/ Weatherby Vanguard LA BDL Laminated Tiger Wood

The WOOX Furiosa Chassis is a groundbreaking hybrid rifle stock designed for shooters and hunters who refuse to compromise between classic aesthetics and modern tactical performance. Engineered in Italy and crafted in the USA and Italy, the Furiosa combines hand-finished American Walnut (or dark Micarta) with a full-length, rigid aerospace-grade aluminum skeleton. The result is an ultra-stable bedding platform that dramatically enhances shot-to-shot consistency, recoil management,

**Aerospace-Grade Aluminum Core:** Built on a precision-machined AA 7075 aircraft-grade aluminum sub-chassis with hard anodizing. The metal bedding system eliminates accuracy loss caused by ambient humidity and temperature changes.

**Micro-Adjustable Cheek Riser:** Fine-tune your cheek weld effortlessly for perfect scope alignment without needing extra tools.

**Adjustable Length of Pull (LOP):** Rapidly adapt the LOP from 13.5" to 15" (34.3 cm – 38.1 cm) using a smooth push-button mechanism.

**M-LOK® Forend:** Three 7-inch M-LOK® accessory slots (at 3, 6, and 9 o'clock) for mounting bipods, tripods, or lights.

**Integrated Picatinny Rail:** Bottom-mounted rail section for monopods and rear support accessories.

**QD Sling Mounts:** Built-in Quick Detach sling swivel points for flexible carry options.

NO IMAGE  
AVAILABLE

## Attributes

- Name: WOOX Furiosa Chassis Howa 1500/ Weatherby Vanguard LA BDL Laminated Tiger Wood
- Manufacturer: WOOX
- Product no.: EU2018818
- Mfr. No.: SH.CHS012.10
- Colour: Laminated Tiger Wood
- Model: 1500
- Weapon type: Howa
- Shipping height: 100mm
- Shipping width: 100mm
- Shipping length: 100mm
- UPC: 810069393230

# Table of Contents

- [Startpage](#)
- [English: WOOX Furiosa Chassis Safety Instruction Guide](#)

# WOOX Furiosa Chassis Safety Instruction Guide

## Introduction

Thank you for choosing the WOOX Furiosa Chassis for your Howa 1500 or Weatherby Vanguard LA BDL. This product is designed to enhance your shooting experience while ensuring your safety. Please read this safety instruction guide carefully to understand the proper use, installation, and maintenance of your chassis.

## General Safety Guidelines

- Always treat your firearm and chassis as if they are loaded.
- Ensure that you are in a safe environment when handling your firearm.
- Keep the chassis and firearm out of reach of children and unauthorized users.
- Regularly inspect your chassis for any signs of wear or damage.
- Always follow local laws and regulations regarding firearm usage and storage.
- Use only compatible accessories and components with the WOOX Furiosa Chassis.
- Report any unsafe products or accidents to the appropriate authorities.

## Specific Safety Precautions for Use

- **Bedding Platform Stability:** Ensure that the chassis is securely mounted to your firearm to maintain stability and accuracy.
- **MicroAdjustable Cheek Riser:** Adjust the cheek riser carefully to avoid pinching or injury.
- **Length of Pull Adjustment:** Make sure to adjust the Length of Pull (LOP) while the firearm is pointed in a safe direction.
- **Accessory Mounting:** When using MLOK® slots or the Picatinny rail, ensure that all accessories are securely attached to prevent detachment during use.
- **Sling Mounts:** Use the Quick Detach sling mounts responsibly to avoid accidental drops or disengagement while carrying.
- **Environmental Conditions:** Be aware of ambient humidity and temperature changes that may affect the chassis's performance.

## Instructions for Installation and Usage

### Installation

1. **Unboxing:** Carefully remove the WOOX Furiosa Chassis from its packaging. Inspect for any damage or missing parts.
2. **Compatibility Check:** Ensure that your chassis is compatible with the Howa 1500 or Weatherby Vanguard LA BDL.
3. **Mounting:**
  - Align the chassis with the firearm's action.
  - Securely fasten all screws and bolts according to the manufacturer's specifications.
  - Ensure the bedding platform is stable and properly seated.

### Usage

1. **Cheek Riser Adjustment:**
  - Locate the microadjustable cheek riser.
  - Adjust to achieve a comfortable cheek weld for optimal scope alignment.
2. **Length of Pull Adjustment:**

- Press the pushbutton mechanism to adjust the LOP from 13.5" to 15" (34.3 cm – 38.1 cm).
- Ensure the adjustment is secure before use.

### **3. Accessory Installation:**

- Attach accessories to the MLOK® slots or Picatinny rail as needed.
- Confirm that all accessories are tightly secured before operation.

### **4. Sling Attachment:**

- Attach your sling to the builtin Quick Detach sling swivel points.
- Verify that the sling is properly secured for safe transport.

## **Disposal Instructions**

- Dispose of the WOOX Furiosa Chassis in accordance with local regulations.
- Recycle any metal and wood components where possible.
- Do not dispose of the chassis in regular household waste.

## **Contact Information for Further Support**

For any inquiries or support regarding the WOOX Furiosa Chassis, please contact the manufacturer's customer service. Ensure you have the product details ready for assistance.

By following these safety guidelines and instructions, you can enjoy the full benefits of your WOOX Furiosa Chassis while ensuring a safe shooting experience. Thank you for your attention to safety!