

Exactus Precision Stock Tikka T3/T3X DBM Laminated Tiger Wood

The WOOX Exactus is a hybrid precision rifle stock designed for long-range shooters and hunters who demand match-grade stability alongside the warm, organic feel of genuine hardwood. Featuring a full-length, CNC-machined aluminum sub-chassis housed within premium American Walnut, the Exactus provides a rock-solid, weather-resistant bedding platform. It bridges the gap between traditional hunting stocks and high-end tactical chassis, delivering superior accuracy without sacrificing classic style.

Built on a rigid AA 7075 aluminum mini-chassis with hard-coat anodizing. The solid aluminum-to-receiver interface ensures repeatable accuracy and eliminates zero shifts caused by humidity or thermal expansion.

Micro-Adjustable Cheek Riser: Allows seamless height adjustments so you can achieve perfect eye alignment with high-magnification optics.

Adjustable Length of Pull (LOP): Tailor the stock fit to your build or clothing layers using a quick and precise adjustment mechanism.

M-LOK® Forend Rail: Integrated M-LOK® slots along the forend allow effortless mounting of bipods, tripods, or rail sections.

Sling Support: Equipped with integrated QD (Quick Detach) sling swivel sockets for quick and secure sling mounting.

NO IMAGE
AVAILABLE

Attributes

- Name: WOOX Exactus Precision Stock Tikka T3/T3X DBM Laminated Tiger Wood
- Manufacturer: WOOX
- Product no.: EU2018860
- Mfr. No.: SH.GNS002.46
- Colour: Laminated Tiger Wood
- Model: T3x
- Weapon type: Tikka
- Shipping height: 100mm
- Shipping width: 100mm
- Shipping length: 100mm
- UPC: 810069393506

Table of Contents

- [Startpage](#)
- [English: WOOX Exactus Precision Stock Safety Instruction Guide](#)

WOOX Exactus Precision Stock Safety Instruction Guide

Introduction

Thank you for choosing the WOOX Exactus Precision Stock for your Tikka T3/T3X rifle. This safety instruction guide is designed to provide you with essential information to ensure safe usage, installation, and disposal of the product. Please read this guide carefully and keep it for future reference.

General Safety Guidelines

- Always ensure that the firearm is unloaded before installing or adjusting the stock.
- Use the WOOX Exactus Precision Stock only with compatible firearms as specified in the product description.
- Regularly inspect the stock for any signs of wear, damage, or defects before each use.
- Ensure that all components are securely attached and functioning properly before using the firearm.
- Store the stock and firearm in a safe location, away from children and unauthorized users.
- Follow all local laws and regulations regarding firearm ownership and usage.

Specific Safety Precautions for Use

- **MicroAdjustable Cheek Riser:** Ensure that the cheek riser is securely locked in place after adjustment to prevent accidental movement during use.
- **Adjustable Length of Pull (LOP):** Adjust the length of pull to fit your body size and clothing layers. Make sure the adjustment mechanism is fully engaged before use.
- **MLOK® Forend Rail:** When attaching accessories to the MLOK® slots, ensure that they are properly secured to avoid any accidents during operation.
- **Sling Support:** Use the integrated QD sling swivel sockets only with compatible slings. Ensure that the sling is securely attached before carrying the firearm.
- **Environmental Considerations:** Avoid exposing the stock to extreme temperatures or moisture to maintain its integrity and performance.

Instructions for Installation and Usage

1. Installation of the Stock:

- Ensure your firearm is unloaded and pointed in a safe direction.
- Remove the existing stock from your Tikka T3/T3X rifle following the manufacturer's instructions.
- Align the WOOX Exactus Precision Stock with the receiver of your rifle.
- Securely fasten the stock to the receiver using the appropriate screws and tools provided. Ensure all screws are tightened to the manufacturer's specifications.

2. Adjusting the Cheek Riser:

- Loosen the adjustment knob located on the cheek riser.
- Raise or lower the cheek riser to achieve the desired height for optimal eye alignment with your optics.
- Tighten the adjustment knob securely.

3. Adjusting the Length of Pull (LOP):

- Locate the LOP adjustment mechanism on the stock.
- Pull the adjustment lever to release the stock extension.

- Slide the stock to the desired length and release the lever to lock it in place. Ensure it is securely locked.

4. Attaching Accessories:

- Use the MLOK® slots on the forend rail for mounting bipods, tripods, or other accessories.
- Follow the manufacturer's instructions for any accessories being attached.

5. Using the Sling:

- Attach your sling to the QD sling swivel sockets.
- Ensure that the sling is properly secured before use.

Disposal Instructions

- When disposing of the WOOX Exactus Precision Stock, follow local regulations regarding the disposal of firearm accessories.
- If the stock is damaged or no longer usable, consider recycling the materials where possible.
- Do not dispose of the stock in regular household waste.

Contact Information for Further Support

For any questions or concerns regarding the WOOX Exactus Precision Stock, please refer to the manufacturer's website or contact their customer support team.

Thank you for your attention to these safety guidelines. Your safety and the safety of others is our top priority. Enjoy your shooting experience with the WOOX Exactus Precision Stock!