

Exactus Precision Stock Tikka T3/T3X DBM Walnut

The WOOX Exactus is a hybrid precision rifle stock designed for long-range shooters and hunters who demand match-grade stability alongside the warm, organic feel of genuine hardwood. Featuring a full-length, CNC-machined aluminum sub-chassis housed within premium American Walnut, the Exactus provides a rock-solid, weather-resistant bedding platform. It bridges the gap between traditional hunting stocks and high-end tactical chassis, delivering superior accuracy without sacrificing classic style.

Built on a rigid AA 7075 aluminum mini-chassis with hard-coat anodizing. The solid aluminum-to-receiver interface ensures repeatable accuracy and eliminates zero shifts caused by humidity or thermal expansion.

Micro-Adjustable Cheek Riser: Allows seamless height adjustments so you can achieve perfect eye alignment with high-magnification optics.

Adjustable Length of Pull (LOP): Tailor the stock fit to your build or clothing layers using a quick and precise adjustment mechanism.

M-LOK® Forend Rail: Integrated M-LOK® slots along the forend allow effortless mounting of bipods, tripods, or rail sections.

Sling Support: Equipped with integrated QD (Quick Detach) sling swivel sockets for quick and secure sling mounting.

NO IMAGE
AVAILABLE

Attributes

- Name: WOOX Exactus Precision Stock Tikka T3/T3X DBM Walnut
- Manufacturer: WOOX
- Product no.: EU2018861
- Mfr. No.: SH.GNS002.24
- Colour: Walnut
- Model: T3x
- Weapon type: Tikka
- Shipping height: 100mm
- Shipping width: 100mm
- Shipping length: 100mm
- UPC: 810069390598

Table of Contents

- [Startpage](#)
- [English: WOOX Exactus Precision Stock Safety Instruction Guide](#)

WOOX Exactus Precision Stock Safety Instruction Guide

Introduction

Thank you for choosing the WOOX Exactus Precision Stock for your Tikka T3/T3X rifle. This guide provides important safety instructions and usage guidelines to ensure a safe and effective experience with your product. Please read this document carefully before using the stock.

General Safety Guidelines

- Always ensure that your firearm is unloaded before installing or adjusting the stock.
- Use the WOOX Exactus Precision Stock only with compatible Tikka T3/T3X rifles.
- Follow all local laws and regulations regarding firearm usage and modifications.
- Store the stock and firearm in a secure location to prevent unauthorized access, especially by children.
- Regularly inspect the stock for any signs of wear or damage. Replace if necessary.
- Do not expose the stock to extreme temperatures or moisture, as this may compromise its integrity.
- Report any unsafe conditions or accidents to the relevant authorities.

Specific Safety Precautions for Use

- **MicroAdjustable Cheek Riser:**
 - Adjust the cheek riser only when the firearm is pointed in a safe direction.
 - Ensure that the cheek riser is securely locked in place before use.
- **Adjustable Length of Pull (LOP):**
 - Make adjustments to the LOP only when the firearm is unloaded and pointed in a safe direction.
 - Check the adjustment mechanism regularly to ensure it is functioning properly.
- **MLOK® Forend Rail:**
 - When mounting accessories, ensure they are securely attached to prevent accidents.
 - Avoid overtightening accessories, as this may damage the stock or the accessory.
- **Sling Support:**
 - Use only compatible slings with the integrated QD sling swivel sockets.
 - Ensure that the sling is properly attached before carrying the firearm.

Instructions for Installation and Usage

1. Installation:

- Ensure the firearm is unloaded.
- Remove the original stock from the Tikka T3/T3X rifle according to the manufacturer's instructions.
- Align the WOOX Exactus Precision Stock with the receiver and secure it using the provided screws.
- Tighten the screws evenly to ensure a secure fit, but avoid overtightening.

2. Adjusting the Cheek Riser:

- Loosen the adjustment knob located on the cheek riser.

- Slide the cheek riser to the desired height.
- Tighten the adjustment knob to secure the riser in place.

3. Adjusting the Length of Pull (LOP):

- Locate the LOP adjustment mechanism.
- Pull the adjustment lever to extend or retract the stock to the desired length.
- Release the lever to lock the adjustment in place.

4. Using the MLOK® Forend Rail:

- Identify the MLOK® slots on the forend.
- Attach accessories using compatible MLOK® hardware, following the accessory manufacturer's instructions.
- Ensure accessories are securely fastened.

5. Using the Sling Support:

- Attach the sling to the QD sockets.
- Ensure the sling is securely mounted before use.

Disposal Instructions

When disposing of the WOOX Exactus Precision Stock, please follow these guidelines:

- Do not dispose of the stock in regular household waste.
- Check local regulations for proper disposal methods of firearm accessories.
- If the stock is damaged or no longer usable, consider recycling materials where applicable.

Contact Information for Further Support

For any questions or concerns regarding the WOOX Exactus Precision Stock, please refer to the manufacturer's website or contact their customer support team. Ensure that you have the product information readily available for assistance.

Thank you for your attention to these safety guidelines. Your safety and the safety of others is of utmost importance. Enjoy using your WOOX Exactus Precision Stock responsibly.