

B BERGARA®

2023 INTERNATIONAL PRODUCT LINEUP





AT BERGARA, WE BELIEVE THAT A PRECISION FIREARM REQUIRES THE BEST COMPONENTS AND AN ASSEMBLY PROCESS CARRIED OUT BY INDIVIDUALS WHO ARE THE BEST OF THE BEST AT THEIR CRAFT. WE'VE BUILT A TEAM OF THE WORLD'S MOST TALENTED AND EXPERIENCED FIREARM BUILDERS – FIRST IN THE USA FOR OUR PREMIER SERIES, AND NOW IN SPAIN FOR OUR B-14 SERIES. THE RESULTS ARE EXTREME PRIDE IN BUILDING, AND EXTREME PRIDE IN OWNERSHIP.



A HISTORY OF PRECISION

IT ALL BEGAN SEVERAL YEARS AGO WITH A SMALL LINE OF CUSTOM RIFLES AND ONE TOP-NOTCH CRAFTSMAN, THE FORMER PRODUCTION CHIEF AND CHIEF INSTRUCTOR FOR THE UNITED STATES MARINE CORPS PRECISION WEAPONS SECTION.

As Bergara rapidly grew, we then assembled a hand-picked group.

With the most technically-advanced barrel manufacturing techniques, state-of-the-art machinery, and an unwavering commitment to quality, Bergara Barrels has become the barrel source of numerous top-tier gun manufacturers in both Europe and the United States. Bergara is producing a full line of precision firearms engineered and built to showcase the performance capabilities of our world-class barrels.

Today, these individuals form the core of our production team. They pass on their knowledge and expertise to every new employee, thereby bringing their own real world experience and expertise to every Bergara firearm.



PREMIER SERIES	8
HMR Pro	12
Mountain 2.0	13
B-14² SERIES	14
Crest	18
B-14 WILDERNESS SERIES	20
Wilderness Thumbhole Carbon	24
Wilderness Thumbhole	25
Wilderness HMR Carbon	26
Wilderness HMR	27
Wilderness Ridge Carbon	28
Wilderness Ridge	29
Wilderness Terrain	30
Wilderness Hunter	31
B-14 EXTREME SERIES	32
Extreme Hunter	36
Extreme Sporter	37
Extreme Hunter Urban	38
Extreme Sporter Western	39
B-14 SERIES	40
HMR	44
Sporter	45
Timber	46
Hunter	47
BA13 SERIES	48
TD Black	52
TD Strata	54
TD Green	56
RIMFIRE SERIES	57
B-14R Trainer	62
BMR	64
SHOOTING BARRELED ACTION	66
ACCESSORIES	68
SPECIFICATIONS	69



MADE IN OUR FACILITIES

TO PERFORM IN THE FIELD



**EVERY RIFLE STARTS
WITH A PRECISION BARREL**

STEP 1 *BARREL STRAIGHTENING*

Each Bergara barrel must begin with a straight bar of cylindrical steel. We inspect every bar to ensure it meets our deviation standards.

STEP 2 *DEEP HOLE DRILLING*

The bar then moves on to a four spindle deep hole drilling machine where a perfect hole is drilled through the entire length of the bar.

STEP 3 *BARREL HONING*

Three separate honing spindles utilize diamond tipped bits that polish the interior surface of the barrel to a mirror-like finish.

STEP 4 *BUTTON RIFLING*

A carbide rifling button is drawn through the barrel to produce the rifling grooves at the appropriate twist rate for each caliber. It's the same result that many gunsmiths accomplish by hand lapping.

STEP 5 *STRESS RELIEVING*

A high temperature heating process realigns the steel molecules ensuring the barrel is free from any stress.



PREMIER SERIES

BUILT BY HAND AND PAIRED WITH OUR WORLD-RENOWNED BARRELS, THE PREMIER SERIES PROVIDES NEAR CUSTOM PERFORMANCE AT PRICES THAT ARE AFFORDABLE TO SERIOUS SHOOTERS. ONLY THE BEST COMPONENTS AND FINEST CRAFTSMEN CAN BE USED TO CREATE A RIFLE LINE THIS RELIABLE AND ACCURATE.

FEATURES

- | | |
|-------------------------------|--|
| BERGARA PREMIER ACTION | <ul style="list-style-type: none"> • Premium stainless steel with Cerakote® finish • 2 locking lugs located on the front of the bolt head • Separate "floating" bolt head assures contact with lug abutments • Cone-shaped bolt nose assures smooth feeding • Sliding plate extractor • All new models feature a dual ejector • 1-piece stainless steel bolt body with threaded-in bolt handle • 90° bolt throw angle • Bolt shroud is bayonet style allowing access to the firing pin assembly. Simply twist the bolt shroud and the entire firing assembly can be removed without tools |
| BERGARA BARREL | <ul style="list-style-type: none"> • Made from premium carbon fiber or stainless steel • Carbon fiber or Cerakote® finish • Guaranteed to produce sub-MOA groups at 100 yards using quality factory ammunition |
| TRIGGER | <ul style="list-style-type: none"> • Externally adjustable TriggerTech® triggers and Frictionless Release Technology™ as standard equipment |
| SAFETY MECHANISMS | <ul style="list-style-type: none"> • The 2-position safety is part of the trigger assembly. It allows the rifle to be unloaded while in the safe position • Non-rotating gas shield behind the bolt head protects the shooter from gas and debris in the event of a case or primer rupture |



SPOTLIGHT

“ JOE EDLINGTON // MOUNTAIN 2.0

NEW ZEALAND, TAHR

In New Zealand we have wilderness that is true to its name, it's wild, it's tough, and it's unforgiving on your physical wellbeing and the gear you decide to bring with you.

I spend over 6 months of the year hunting in the most wild and remote areas. I search for a wide variety of 'bucket list' game species that are high on the list for many hunters worldwide.

I bring my Bergara Mountain 2.0 on these expeditions. It's ultra-light-weight design and attention to detail for its build quality and components are what make this rifle 'my choice' for the big wilderness hunts I do.

Correct gear choice is paramount for these types of hunts. I have complete faith in the Mountain 2.0 performing for me when I need it most.



HMR PRO // HUNTING & MATCH

WEIGHT
starting at
4.2 kg [9.3 lbs]

ACCURACY
sub-MOA
Guaranteed

BARREL

410 stainless steel
51 cm [20"] - 66 cm [26"] barrel lengths

FINISH


Tactical Gray Cerakote®

STOCK

Bergara HMR molded with mini-chassis

MAGAZINE

AICS Style Detachable



CALIBERS

.22-250 | 6 CREEDMOOR | 6.5 CREEDMOOR | 6.5 PRC | .308 WIN | .300 WIN MAG | .300 PRC

MOUNTAIN 2.0

WEIGHT
starting at
2.8 kg [6.2 lbs]

ACCURACY
sub-MOA
Guaranteed

BARREL

410 stainless steel
56 cm [22"] - 61 cm [24"] barrel lengths

FINISH

Tactical Gray Cerakote®

STOCK

AG Composite 100% carbon fiber

MAGAZINE

Hinged Floor Plate



CALIBERS

.243 WIN. | 6.5 CREEDMOOR | 6.5 PRC | .308 WIN | .270 WIN | .300 WIN MAG



B-14² SERIES

THE NEW B-14² CONCEPT STANDS FOR ADDING A PROPRIETARY DEVELOPMENT OF A CARBON FIBER MONOCOQUE STOCK. CREATED 100% IN CARBON FIBER, THIS STOCK HAS AN INTERNAL STRUCTURE THAT PROVIDES GREATER RIGIDITY AND STRENGTH, MAKING IT NEARLY INDESTRUCTABLE.

FEATURING THIS NEW STOCK, OUR B-14 ACTION AND OUR WELL-KNOWN BARRELS, WE'VE BLENDED ALL THE ADVANTAGES OF THE B-14 MODEL SERIES CONVERGING INTO SOMETHING UNIQUE, WHICH WE HAVE CALLED B-14 SQUARED.

FEATURES

- BERGARA B-14 ACTION**
- Spring-loaded ejector
 - Side-mounted bolt stop
 - Fluted, 4140 chromoly steel, one piece bolt body
 - 90° bolt throw angle
 - Cone-shaped bolt nose ejector - assures smooth feeding
 - Sliding plate extractor
 - Hinged floor plate or detachable magazine
 - Cerakoted® Sniper Grey

- BERGARA BARREL**
- Made from 4140 CrMo steel
 - Sniper Grey Cerakote®
 - Sub MOA accuracy guaranteed

- TRIGGER**
- Adjustable Bergara Performance Trigger

- SAFETY MECHANISMS**
- The two position safety is part of the trigger assembly. It allows the rifle to be unloaded while in the safe position.

- STOCK**
- 100% Carbon Fiber Monocoque stock with carbon spine



SPOTLIGHT

PEDRO AMPUERO // CREST

GREDOOS, SPAIN IBEX

Some of us feel a huge attraction to traveling around the world and discovering new countries, new species, and new cultures. Spain is one of the most amazing destinations for hunting. The hunting tradition and passion of my home country is what brings hunters all around the world every year.

We have to go through a lot to get the opportunity we have been searching for, and after investing a lot of time and effort there is nothing worse than questioning your shot, or doubting if the rifle was able to handle all that beating.

I have always looked at my rifle as another piece of equipment, it can not fail. The rifle is there to help me, not to give me more problems than the ones I have. When you find out about the rifle manufacturing tradition of Spain, and the background building precise and reliable rifles of Bergara, that doubt goes away, and you trust it like it was your own rifle.





CREST

WEIGHT

starting at
3.1 kg (6.8 lbs)

ACCURACY

sub-MOA
Guaranteed

BARREL

4140 CrMo Steel
51 cm (20") - 61 cm (24") barrel lengths

FINISH



Sniper Gray Cerakote®

STOCK

100% Carbon Fiber Monocoque stock with Carbon Spine

MAGAZINE

AICS Style Detachable



CALIBERS

.243 WIN | 6.5 CREEDMOOR | 6.5 PRC | .308 WIN | 7MM REM MAG | .300 WIN MAG





B-14 WILDERNESS SERIES

THE B-14 WILDERNESS SERIES® EMBODY PURE PERFORMANCE. REAL-WORLD FEATURE SETS LIKE FLUTED BOLTS, SPECIALIZED COATINGS, AND STOCK OPTIONS THAT CAN WITHSTAND THE RUGGED AND UNFORGIVING WILDERNESS, WHILE BLENDING IN TO THOSE VERY SAME ELEMENTS. THIS SERIES IS FOR THE BACK COUNTRY, TO MATCH EVERY STRIDE YOU TAKE OFF THE BEATEN TRAIL.



FEATURES

- BERGARA B-14 ACTION**
- Spring-loaded ejector
 - Side-mounted bolt stop
 - Fluted, 4140 CrMo steel, one piece bolt body
 - 90° bolt throw angle
 - Cone-shaped bolt nose ejector - assures smooth feeding
 - Sliding plate extractor
 - Hinged floor plate or detachable magazine
 - Sniper Grey Cerakote®

- BERGARA BARREL**
- Made from 4140 CrMo steel
 - Sniper Grey Cerakote®
 - Sub MOA accuracy guarantee

- TRIGGER**
- Adjustable Bergara Performance Trigger

- SAFETY MECHANISMS**
- The two position safety is part of the trigger assembly. It allows the rifle to be unloaded while in the safe position.

- STOCK**
- Bergara's hand-painted camouflage





SPOTLIGHT

“ **BRIAN STEPHENS // WILDERNESS HMR CF**
TEXAS AUODAD

Just a few miles from the Mexico border I was introduced to a terrain so challenging, yet beautiful. I had not yet hunted Aoudad, and found myself walking for miles, climbing cliffs, slipping and falling at times trying to get to this shooter Aoudad we had seen.

Through this rugged environment I noticed just how tough this rifle is, along with how well it carried on my shoulder.

When we finally got to within 200 yards of this big ram, I squeezed the trigger. I knew that bullet was going to hit its target. ”



NEW

THUMBHOLE CARBON

WEIGHT
starting at
3 kg (6 lbs)

ACCURACY
sub-MOA
Guaranteed

BARREL

Carbon Barrel
51 cm (20") - 61 cm (24") barrel lengths

FINISH

Sniper Gray Cerakote®

STOCK

Hand-painted Thumbhole Synthetic Stock
with a rubberized grip

MAGAZINE

AICS Style Detachable



CALIBERS

6.5 CREEDMOOR | 6.5 PRC | .308 WIN | .300 WIN MAG

NEW

THUMBHOLE

WEIGHT
starting at
3.3 kg (7.2 lbs)

ACCURACY
sub-MOA
Guaranteed

BARREL

4140 CrMo Steel
51 cm (20") - 61 cm (24") barrel lengths

FINISH

Sniper Gray Cerakote®

STOCK

Hand-painted Thumbhole Synthetic Stock
with a rubberized grip

MAGAZINE

AICS Style Detachable



CALIBERS

.243 WIN | 6.5 CREEDMOOR | 6.5 PRC | .308 WIN | 7MM REM MAG | .300 WIN MAG

NEW

HMR CARBON

WEIGHT

starting at
3.4 kg (7.5 lbs)

ACCURACY

sub-MOA
Guaranteed

BARREL

Carbon Barrel
51 cm (20") - 61 cm (24") barrel lengths

FINISH

Sniper Gray Cerakote®

STOCK

Bergara HMR molded with mini-chassis

MAGAZINE

AICS Style Detachable



CALIBERS

6.5 CREEDMOOR | 6.5 PRC | .308 WIN | .300 WIN MAG

HMR

WEIGHT

starting at
4.3 kg (9.5 lbs)

ACCURACY

sub-MOA
Guaranteed

BARREL

4140 CrMo Steel
51 cm (20") - 66 cm (26") barrel lengths

FINISH

Sniper Gray Cerakote®

STOCK

Bergara HMR molded with mini-chassis

MAGAZINE

AICS Style Detachable



CALIBERS

6.5 CREEDMOOR | 6.5 PRC | .308 WIN | .300 WIN MAG | .300 PRC



NEW

RIDGE CARBON

WEIGHT

starting at
2.9 kg [6.5 lbs]

ACCURACY

sub-MOA
Guaranteed

BARREL

Carbon Barrel
51 cm [20"] - 61 cm [24"] barrel lengths

FINISH

Sniper Gray Cerakote®

STOCK

American style synthetic with SoftTouch finish

MAGAZINE

Hinged floor plate and detachable



RIDGE

WEIGHT

starting at
3.3 Kg [7.4 lbs]

ACCURACY

sub-MOA
Guaranteed

BARREL

4140 CrMo Steel
51 cm [20"] - 61 cm [24"] barrel lengths

FINISH

Sniper Gray Cerakote®

STOCK

American style synthetic with SoftTouch finish

MAGAZINE

Hinged floor plate and detachable



CALIBERS

6.5 CREEDMOOR | 6.5 PRC | .308 WIN | .300 WIN MAG

CALIBERS

6.5 CREEDMOOR | 6.5 PRC | .308 WIN | 7MM REM MAG | .300 WIN MAG | .300 PRC

TERRAIN

WEIGHT

starting at
4 kg (8.9 lbs)

ACCURACY

sub-MOA
Guaranteed

BARREL

4140 CrMo Steel
51 cm (20") - 66 cm (26") barrel lengths

FINISH

Sniper Gray Cerakote®

STOCK

Bergara Terrain molded with mini chassis and SoftTouch finish

MAGAZINE

AICS style



HUNTER

WEIGHT

starting at
3.2 kg (7.2 lbs)

ACCURACY

sub-MOA
Guaranteed

BARREL

4140 CrMo Steel
56 cm (22") - 61 cm (24") barrel lengths

FINISH


Sniper Gray Cerakote®

STOCK

American style synthetic with SoftTouch finish

MAGAZINE

Hinged floor plate and detachable



CALIBERS

6.5 CREEDMOOR | 6.5 PRC | .308 WIN | .300 WIN MAG | .300 PRC

CALIBERS

6.5 CREEDMOOR | .308 WIN | 7MM REM MAG | .300 WIN MAG



B-14 EXTREME SERIES

CONCEIVED FOR GUARDS IN REMOTE PARTS OF THE WORLD WHO NEED AN AFFORDABLE RIFLE FOR PROTECTION IN EXTREMEST CONDITIONS OF RAIN, SNOW AND SALTY WINDS. THE B14 EXTREME SERIES HAS BECOME A POPULAR CHOICE AMONG HUNTERS AROUND THE WORLD FOR BEING A LIGHT-WEIGHT, SHORT, EASY-TO-MAINTAIN AND EXTREMELY RELIABLE. A TRUE CONFIGURATION THAT SHOULD BE PRESENT IN EVERY GUN SAFE.



FEATURES

- BERGARA B-14 ACTION**
- Spring-loaded ejector
 - Side-mounted bolt stop
 - One-piece body with two locking lugs
 - 90° bolt throw angle
 - Cone-shaped bolt nose ejector - assures smooth feeding
 - Sliding plate extractor
 - Detachable magazine

- BERGARA BARREL**
- Made from 410 ISI stainless steel
 - Graphite Black Cerakote® / Stainless Grey Cerakote® / Coyote Tan Cerakote®
 - Sub MDA accuracy guarantee

- TRIGGER**
- Adjustable Bergara Performance Trigger

- SAFETY MECHANISMS**
- The two position safety is part of the trigger assembly. It allows the rifle to be unloaded while in the safe position.





SPOTLIGHT

“ MARTIN BIE-ERICHSEN // EXTREME HUNTER
NORWAY GOOSE

We arrived at the fields as the sun was rising and spotted the first geese of the day, grassing at the edge of a large field. My son knew the drill as he tagged along for this hunt.

We positioned ourselves under some pines. The goose is only 95 meters, a comfortable distance for such a small target. Especially when we are used to taking these shots at 180 meters or further. I rig my B14 Extreme up and warn my 2-year-old that a shot is coming. Everything felt right.

It might just be a goose, but the conversation with my son as we walked towards our kill, made it feel like we just shot the stag of our lifetime.

”

HUNTER

WEIGHT
starting at
2.9 kg [6.4 lbs]

ACCURACY
sub-MOA
Guaranteed

BARREL

410 stainless steel
46 cm [18"] barrel

FINISH


Stainless Grey Cerakote®

STOCK

American style synthetic with SoftTouch finish

MAGAZINE

Detachable



CALIBERS

6.5 CREEDMOOR | .308 WIN

SPORTER

WEIGHT
starting at
3.1 kg [6.8 lbs]

ACCURACY
sub-MOA
Guaranteed

BARREL

410 stainless steel
46 cm [18"] barrel

FINISH

Graphite Black Cerakote®

STOCK

Monte Carlo style synthetic with SoftTouch finish

MAGAZINE

Detachable



CALIBERS

6.5 CREEDMOOR | .308 WIN

HUNTER VIPER URBAN

WEIGHT
starting at
2.9 kg (6.4 lbs)

ACCURACY
sub-MOA
Guaranteed

BARREL

410 stainless steel
46 cm (18") barrel

FINISH

Graphite Black Cerakote®

STOCK

American-style synthetic with SoftTouch finish

MAGAZINE

Detachable



CALIBERS

6.5 CREEDMOOR | .308 WIN

SPORTER VIPER WESTERN

WEIGHT
starting at
3.1 kg (6.8 lbs)

ACCURACY
sub-MOA
Guaranteed

BARREL

410 stainless steel
46 cm (18") barrel

FINISH

Coyote Tan Cerakote®

STOCK

Montecarlo synthetic with SoftTouch finish

MAGAZINE

Detachable



CALIBERS

6.5 CREEDMOOR | .308 WIN



B-14 SERIES



THE B-14 SERIES RIFLES ARE BUILT AT OUR STATE-OF-THE-ART FACILITY IN SPAIN. THANKS TO OUR HIGHLY EFFICIENT MANUFACTURING TECHNIQUES WE CAN BRING A LINE OF EXTREMELY ACCURATE AND RELIABLE RIFLES TO SERIOUS SHOOTERS AT EXTREMELY AFFORDABLE PRICES. VALUE PACKED, AND TOUGH ENOUGH TO WEAR THE BERGARA NAME.

FEATURES

- BERGARA B-14 ACTION**
- Spring-loaded ejector
 - Side-mounted bolt stop
 - One-piece body with two locking lugs
 - 90° bolt throw angle
 - Cone-shaped bolt nose ejector - assures smooth feeding
 - Sliding plate extractor
 - Hinged floor plate or detachable magazine

- BERGARA BARREL**
- Made from 4140 CrMo steel
 - Graphite Black Cerakote®
 - Sub MOA accuracy guarantee

- TRIGGER**
- Bergara Performance Trigger

- SAFETY MECHANISMS**
- The two position safety is part of the trigger assembly. It allows the rifle to be unloaded while in the safe position.



SPOTLIGHT

“ NICK TREHEARNE // B-14 HMR
ALBERTA COYOTE

When winter hits in Canada, it's time to help the deer out and we switch to predator control. The harsh winter climates are hard enough on the deer as it is. This is a task that we don't take lightly and that's why we rely on the Bergara B-14 in a 22-250. It was -20 to -30°C during the day and when the dogs came into the call, we didn't want to mess up an opportunity. It was hard enough on us being out there as it is. That's why we trust Bergara - any dog that came into the call didn't have a chance.





HMR // HUNTING & MATCH RIFLE

WEIGHT
starting at
4.3 kg [9.7 lbs]

ACCURACY
sub-MOA
Guaranteed

BARREL

4140 CrMo Steel
61 cm [24"] - 66 cm [26"] barrel lengths

FINISH

Graphite Black Cerakote®

STOCK

Bergara HMR molded with mini-chassis

MAGAZINE

AICS Style Detachable

LEFT HANDED MODELS AVAILABLE



CALIBERS

.22-250 | 6.5 CREEDMOOR | .308 WIN | .300 WIN MAG



SPORTER

WEIGHT
starting at
3.3 kg [7.3 lbs]

ACCURACY
sub-MOA
Guaranteed

BARREL

4140 CrMo Steel
56 cm [22"] - 61 cm [24"] barrel lengths

FINISH

Graphite Black Cerakote®

STOCK

Monte Carlo style synthetic with SoftTouch finish

MAGAZINE

Hinged floor plate and detachable



CALIBERS

.243 WIN | 6.5 CREEDMOOR | .308 WIN | 6.5X55 SE | .270 WIN | .30-06 SPRG | 7MM REM MAG | .300 WIN MAG | .338 WIN MAG



TIMBER

WEIGHT
starting at
3.4 kg (7.5 lbs)

ACCURACY
sub-MOA
Guaranteed

BARREL

4140 CrMo Steel
56 cm (22") - 61 cm (24") barrel lengths

FINISH

Graphite Black Cerakote®


STOCK

Monte Carlo style walnut

MAGAZINE

Hinged floor plate and detachable

LEFT HANDED MODELS AVAILABLE



CALIBERS

.243 WIN | 6.5 CREEDMOOR | .308 WIN | 6.5X55 SE | .270 WIN | .30-06 SPRG | 7MM REM MAG

.300 WIN MAG | .338 WIN MAG | .375 H&H

HUNTER

WEIGHT
starting at
3.1 kg (7.1 lbs)

ACCURACY
sub-MOA
Guaranteed

BARREL

4140 CrMo Steel
56 cm (22") - 61 cm (24") barrel lengths

FINISH

Graphite Black Cerakote®

STOCK

American style synthetic with SoftTouch finish

MAGAZINE

Hinged floor plate and detachable



CALIBERS

.243 WIN | 6.5 CREEDMOOR | .308 WIN | .270 WIN | .30-06 SPRG | 7MM REM MAG | .300 WIN MAG

BA13 SERIES

FOR THE HUNTER WHO WANTS A HIGH-QUALITY SINGLE SHOT RIFLE, THE BA13 TAKE DOWN IS THE IDEAL CHOICE. OUR BA13 TAKE DOWN RANGE IS A POPULAR CHOICE FOR MOUNTAIN HUNTING. ITS EXCELLENT MANEUVERABILITY AND PRECISION MAKE THE BA13 TD SINGLE SHOOT RIFLE AN OPTIMAL PERFORMANCE FOR A STALKING RIFLE.

FEATURES

BERGARA ACTION

- 100% Ambidextrous stock
- CrushZone® recoil pad
- Equipped with a weaver-style rail
- Reversible cocking spur
- Trigger guard actuated breech system

BERGARA BARREL

- Fluted Bergara Barrel
- Matte Blued / Elite Moss Cerakote®
- 4140 CrMo blued steel or 410 AISI stainless steel

SAFETY MECHANISMS

- Compact Synthetic design or Thumbhole stock in black color, Strata camo or green colour





SPOTLIGHT

“ AL LOUANGKETH // BA13 THUMBHOLE
BLACK FOREST, GERMANY BOAR

The morning sun was slowly evaporating the moisture from the ground, creating a foggy mist that was getting thick around me, suddenly I heard some twigs snapping in the thick pine groves.

The cautious snapping of the twigs tells me it was moving to a small clearing. I gently picked up my BA13 and eased to a comfortable shooting position. Suddenly, I noticed a dark shadow appearing out of the thick pine. There he is! One of the biggest boars I've ever seen in my forest coming out into the clearing thirty meters away!

I pulled the hammer back on my BA13. Just as he stopped, he dropped when the hammer fell. The Black Forest beast laid still at my feet. ”



TD THUMBHOLE

WEIGHT
starting at
2.9 kg (6.4 lbs)

BARREL
4140 CrMo Steel
42 cm (16.5") - 51 cm (20") barrel lengths

FINISH
Matte blued

STOCK
Thumbhole Synthetic black

SCOPE MOUNT
Weaver style aluminium rail



CALIBERS

.243 WIN | .308 WIN | .30-06 SPRG | .45-70 GOVT | .8X57 JRS | .300 BLACKOUT

TD STANDARD

WEIGHT
starting at
3.1 kg (6.8 lbs)

BARREL
4140 CrMo Steel
42 cm (16.5") - 51 cm (20") barrel lengths

FINISH
Matte blued

STOCK
Synthetic black

SCOPE MOUNT
Weaver style aluminium rail



CALIBERS

.243 WIN | .308 WIN | .30-06 SPRG | .45-70 GOVT | .8X57 JRS | .300 BLACKOUT

TD THUMBHOLE STRATA

WEIGHT
starting at
3.1 kg (6.8 lbs)

BARREL

4140 CrMo Steel
51 cm (20") barrel length

FINISH

Elite Moss Cerakote®

STOCK

Thumbhole Synthetic camo strata

SCOPE MOUNT

Weaver style steel rail



CALIBERS

.223 REM | 6.5 CREEDMOOR | .308 WIN

TD STANDARD STRATA

WEIGHT
starting at
3.1 kg (6.8 lbs)

BARREL

4140 CrMo Steel
51 cm (20") barrel length

FINISH

Elite Moss Cerakote®

STOCK

Synthetic camo strata

SCOPE MOUNT

Weaver style steel rail



CALIBERS

.223 REM | 6.5 CREEDMOOR | .308 WIN


TD THUMBHOLE GREEN

WEIGHT
starting at
3.1 kg (6.8 lbs)

BARREL
410 stainless steel
51 cm (20") barrel length

STOCK
Thumbhole Synthetic green

SCOPE MOUNT
Weaver style aluminium rail



TD STANDARD GREEN

WEIGHT
starting at
3.1 kg (6.8 lbs)

BARREL
410 stainless steel
51 cm (20") barrel length

STOCK
Synthetic green

SCOPE MOUNT
Weaver style aluminium rail



CALIBERS

.223 REM | 6.5 CREEDMOOR | .308 WIN

CALIBERS

.223 REM | 6.5 CREEDMOOR | .308 WIN



RIMFIRE SERIES

MANUFACTURING HIGHLY ACCURATE RIMFIRE BARRELS IS NOT NEW TO US. WE'VE BEEN DOING IT ON AN OEM BASIS FOR WELL OVER A DECADE. WE'VE COMBINED THREE DISTINCT PLATFORMS, EACH DESIGNED FOR VERY DIFFERENT NEEDS, TO FORM OUR RIMFIRE SERIES. PLINKERS, HUNTERS, AND EVEN LONG RANGE RIMFIRE COMPETITORS REAP THE BENEFITS, UPGRADES, AND CROSS COMPATIBILITY FOUND IN THESE RIFLES. THE ONE THING THEY ALL HAVE IN COMMON - NOTHING LESS THAN PERFECTION.

FEATURES

PROPRIETARY RIMFIRE ACTIONS

- Specialty rimfire actions
- Match Grade chambers
- Detachable magazines
- Left-Handed Available on B-14R

BERGARA BARREL

- Made from 4140 CrMo Steel
- Matte blued finish
- Carbon barrel options available

TRIGGER

- Bergara Performance Trigger

STOCK

- Bergara HMR stock, Adjustable cheek, Free-floated (B-14R)
- QD Cups and Swivels (BMR Swivel only)





SPOTLIGHT

“ LEWIS MACFARLANE // BMR CARBON
UNITED KINGDOM SQUIRREL

With the colder winter days here, the squirrels are foraging for winter stores. This is one of the best times of year to garner their interest in the squirrel feeders.

I generally top them off with a variety of nuts and maize mix, overlooked by a popup blind some 50 yards away. These are a great bit of kit to stay comfortable and hidden from the squirrels.

Once they get used to the food source and the blind, which is set up a day or two before, all I need do is slip into the blind before first light, load up the BMR, sip some coffee and wait patiently for the squirrels to arrive.

”

B-14R // CARBON

WEIGHT
starting at
3.6 kg (8.1 lbs)

CAPACITY
magazine fed
10 Rounds

BARREL

Carbon Barrel
46 cm (18") - 51 cm (20") barrel lengths

FINISH

Matte blued

STOCK

Bergara HMR stock

MAGAZINE

AICS Style Detachable

LEFT HANDED MODELS AVAILABLE



CALIBERS

.22 LR | .22 WMR | .17 HMR

B-14R // STEEL

WEIGHT
starting at
4.1 kg (9.2 lbs)

CAPACITY
magazine fed
10 Rounds

BARREL

4140 CrMo Steel
46 cm (18") - 51 cm (20") barrel lengths

FINISH

Matte blued

STOCK

Bergara HMR stock

MAGAZINE

AICS Style Detachable

LEFT HANDED MODELS AVAILABLE



CALIBERS

.22 LR | .22 WMR | .17 HMR



BMR // CARBON

WEIGHT

starting at
2.3 kg [5 lbs]

CAPACITY

magazine fed
5 & 10 Rounds

BARREL

Carbon Barrel
46 cm [18"] - 51 cm [20"] barrel lengths

FINISH

Matte blued

STOCK

BMR stock

MAGAZINE

AICS Style Detachable



BMR // STEEL

WEIGHT

starting at
2.5 kg [5.5 lbs]

CAPACITY

magazine fed
5 & 10 Rounds

BARREL

4140 CrMo Steel
46 cm [18"] - 51 cm [20"] barrel length

FINISH

Matte blued

STOCK

BMR stock

MAGAZINE

AICS Style Detachable



CALIBERS

.22 LR | .22 WMR | .17 HMR

CALIBERS

.22 LR | .22 WMR | .17 HMR



NEW

BARRELED ACTION // SHOOTING

WEIGHT

starting at
3.6 kg (7.9 lbs)

CAPACITY

magazine fed
10 Rounds

BARREL

410 stainless steel
66 cm (26") barrel length

MAGAZINE

AICS Style Detachable



NEW

BARRELED ACTION // RIMFIRE SHOOTING

WEIGHT

starting at
3.4 kg (7.5 lbs)

CAPACITY

magazine fed
10 Rounds

BARREL

410 stainless steel
51 cm (20") barrel length

MAGAZINE

AICS Style Detachable



LEFT HANDED MODELS AVAILABLE



CALIBERS

6 MM CREEDMOOR | 6.5 CREEDMOOR | .308 WIN

CALIBER

.22 LR

BERGARA ACCESSORIES



OMNI MUZZLE BRAKE



BERGARA AICS MAGAZINES



BERGARA RAIL

Fits Rem 700[®] with 6-48 and 8-40 screws




B-14R MAGAZINE



BERGARA EDC BACKPACK



BERGARA SOFT RIFLE GUNCASE



QUAKE SLINGS



QUAKE SHOOTING BAGS

PREMIER SERIES RIFLES

*All Premier Series Rifles come with TriggerTech Frictionless Release Technology™ and barrel & action in Tactical Grey Cerakote®

Reference	Caliber	Twist	Barrel Length	Overall Length	Muzzle Diameter	Barrel Thread	Overall Weight	Magazine	Capacity
HMR PRO *Feature a Bergara HMR molded stock with mini-chassis									
BP235-22250	.22-250 Rem.	1:9"	61 cm (24")	112 cm (44")	19.1 mm (No. 5.5)	5/8-24 UNEF	4,3 Kg (9.5 lbs)	DETACHABLE	5+1
BP236-6C	6 Creedmoor	1:7,5"	66 cm (26")	112 cm (44")	19.1 mm (No. 5.5)	5/8-24 UNEF	4,3 Kg (9.5 lbs)	DETACHABLE	5+1
BP235-65	6,5 Creedmoor	1:8"	61 cm (24")	112 cm (44")	19.1 mm (No. 5.5)	5/8-24 UNEF	4,3 Kg (9.5 lbs)	DETACHABLE	5+1
BP235-65HB	6,5 Creedmoor	1:8"	61 cm (24")	112 cm (44")	21.5 mm (No. 6)	5/8-24 UNEF	4,44 Kg (9.8 lbs)	DETACHABLE	5+1
BP236-65PRC	6,5 PRC	1:8"	66 cm (26")	117 cm (46")	19.1 mm (No. 5.5)	5/8-24 UNEF	4,39 Kg (9.7 lbs)	DETACHABLE	5+1
BP233-308	.308 Win	1:10"	51 cm (20")	103 cm (40")	19.1 mm (No. 5.5)	5/8-24 UNEF	4,21 Kg (9.3 lbs)	DETACHABLE	5+1
BP236-300	.300 Win Mag	1:10"	66 cm (26")	121 cm (47.5")	19.1 mm (No. 5.5)	5/8-24 UNEF	4,44 Kg (9.8 lbs)	DETACHABLE	5+1
BP236-300PRC	.300 PRC	1:9"	66 cm (26")	121 cm (47.5")	19.1 mm (No. 5.5)	5/8-24 UNEF	4,44 Kg (9.8 lbs)	DETACHABLE	5+1
MOUNTAIN 2.0 *Feature a 100% carbon-fiber stock									
BP224F-243	.243 Win	1:10"	56 cm (22")	105 cm (41.5")	15 mm (No. 3)	-	2,81 Kg (6.2 lbs)	FLOORPLATE	4+1
BP224F-65	6,5 Creedmoor	1:8"	56 cm (22")	105 cm (41.5")	15 mm (No. 3)	-	2,81 Kg (6.2 lbs)	FLOORPLATE	4+1
BP225F-65PRC	6,5 PRC	1:8"	61 cm (24")	110 cm (43.5")	15 mm (No. 3)	-	2,85 Kg (6.3 lbs)	FLOORPLATE	2+1
BP224F-308	.308 Win	1:10"	56 cm (22")	105 cm (41.5")	15 mm (No. 3)	-	2,81 Kg (6.2 lbs)	FLOORPLATE	4+1
BP224F-270	.270 Win	1:10"	56 cm (22")	105 cm (41.5")	15 mm (No. 3)	-	2,81 Kg (6.2 lbs)	FLOORPLATE	4+1
BP225F-300	.300 Win Mag	1:10"	61 cm (24")	112 cm (44")	15 mm (No. 3)	-	2,9 Kg (6.4 lbs)	FLOORPLATE	3+1

B-14² SERIES RIFLES

*B-14² Series Rifle come with the Bergara Performance Trigger and barrel & action in Sniper Grey Cerakote®

Reference	Caliber	Twist	Barrel Length	Overall Length	Muzzle Diameter	Barrel Thread	Overall Weight	Magazine	Capacity
CREST *Feature a 100% carbon fiber monocoque stock and installed Omni Brake									
BE163-243	.243 Win	1:10"	51 cm (20")	103 cm (40")	17.5 mm (No. 5)	5/8-24 UNEF	3,1 Kg (6.8 lbs)	AICS COMPATIBLE	5+1
BE163-65	6,5 Creedmoor	1:8"	51 cm (20")	103 cm (40")	17.5 mm (No. 5)	5/8-24 UNEF	3,1 Kg (6.8 lbs)	AICS COMPATIBLE	5+1
BE163-65PRC	6,5 PRC	1:8"	51 cm (20")	103 cm (40")	17.5 mm (No. 5)	5/8-24 UNEF	3,1 Kg (6.8 lbs)	AICS COMPATIBLE	5+1
BE163-308	.308 Win	1:10"	51 cm (20")	103 cm (40")	17.5 mm (No. 5)	5/8-24 UNEF	3,1 Kg (6.8 lbs)	AICS COMPATIBLE	5+1
BE165-7RM	7mm Rem Mag	1:9,5"	61 cm (24")	113 cm (44.5")	17.5 mm (No. 5)	5/8-24 UNEF	3,26 Kg (7.2 lbs)	AICS COMPATIBLE	5+1
BE165-300	.300 Win Mag	1:10"	61 cm (24")	113 cm (44.5")	17.5 mm (No. 5)	5/8-24 UNEF	3,26 Kg (7.2 lbs)	AICS COMPATIBLE	5+1



B-14 WILDERNESS SERIES® RIFLES

*All B-14 Wilderness Series Rifles feature Bergara barreled actions in Sniper Grey Cerakote® and have stocks with Bergara custom camouflage.

Reference	Caliber	Twist	Barrel Length	Overall Length	Muzzle Diameter	Barrel Thread	Overall Weight	Magazine	Capacity
THUMBHOLE CARBON *Feature a Thumbhole Synthetic stock, carbon barrel and installed Omni Brake									
BW154C-65	6,5 Creedmoor	1:8"	56 cm (22")	108 cm (42.5")	21.5 mm (No. 6)	5/8-24 UNEF	3,2 Kg (7 lbs)	DETACHABLE	5+1
BW155C-65PRC	6,5 PRC	1:8"	61 cm (24")	112 cm (44")	21.5 mm (No. 6)	5/8-24 UNEF	3,3 Kg (7,2 lbs)	DETACHABLE	5+1
BW153C-308	.308 Win	1:10"	51 cm (20")	103 cm (40.5")	21.5 mm (No. 6)	5/8-24 UNEF	3 Kg (6,6 lbs)	DETACHABLE	5+1
BW155C-300	.300 Win Mag	1:10"	61 cm (24")	114 cm (44.5")	21.5 mm (No. 6)	5/8-24 UNEF	3,3 Kg (7,4 lbs)	DETACHABLE	5+1
THUMBHOLE *Feature a Thumbhole Synthetic stock and installed Omni Brake									
BW153-243	.243 Win	1:10"	51 cm (20")	103 cm (40.5")	17.5 mm (No. 5)	5/8-24 UNEF	3,3 Kg (7,2 lbs)	DETACHABLE	5+1
BW153-65	6,5 Creedmoor	1:8"	51 cm (20")	103 cm (40.5")	17.5 mm (No. 5)	5/8-24 UNEF	3,3 Kg (7,2 lbs)	DETACHABLE	5+1
BW153-65PRC	6,5 PRC	1:8"	51 cm (20")	103 cm (40.5")	17.5 mm (No. 5)	5/8-24 UNEF	3,3 Kg (7,2 lbs)	DETACHABLE	5+1
BW153-308	.308 Win	1:10"	51 cm (20")	103 cm (40.5")	17.5 mm (No. 5)	5/8-24 UNEF	3,3 Kg (7,2 lbs)	DETACHABLE	5+1
BW155-7RM	7mm Rem Mag	1:9,5"	61 cm (24")	114 cm (44.5")	17.5 mm (No. 5)	5/8-24 UNEF	3,5 Kg (7,7 lbs)	DETACHABLE	5+1
BW155-300	.300 Win Mag	1:10"	61 cm (24")	114 cm (44.5")	17.5 mm (No. 5)	5/8-24 UNEF	3,5 Kg (7,7 lbs)	DETACHABLE	5+1
HMR CARBON *Feature a Bergara HMR molded stock with mini-chassis, carbon barrel and installed Omni Brake									
BW134C-65	6,5 Creedmoor	1:8"	56 cm (22")	107 cm (42")	21.5 mm (No. 6)	5/8-24 UNEF	3,6 Kg (7.9 lbs)	DETACHABLE	5+1
BW135C-65PRC	6,5 PRC	1:8"	61 cm (24")	112 cm (44")	21.5 mm (No. 6)	5/8-24 UNEF	3,7 Kg (8.2 lbs)	DETACHABLE	5+1
BW133C-308	.308 Win	1:10"	51 cm (20")	102 cm (40")	21.5 mm (No. 6)	5/8-24 UNEF	3,4 Kg (7.5 lbs)	DETACHABLE	5+1
BW135C-300	.300 Win Mag	1:10"	61 cm (24")	112 cm (44.5")	21.5 mm (No. 6)	5/8-24 UNEF	3,8 Kg (8.3 lbs)	DETACHABLE	5+1
HMR *Feature a Bergara HMR molded stock with mini-chassis and installed Omni Brake									
BW135-65	6,5 Creedmoor	1:8"	61 cm (24")	107 cm (42")	21.5 mm (No. 6)	5/8-24 UNEF	4,4 Kg (9.7 lbs)	DETACHABLE	5+1
BW135-65PRC	6,5 PRC	1:8"	61 cm (24")	112 cm (44")	21.5 mm (No. 6)	5/8-24 UNEF	4,4 Kg (9.7 lbs)	DETACHABLE	5+1
BW133-308	.308 Win	1:10"	51 cm (20")	102 cm (40")	21.5 mm (No. 6)	5/8-24 UNEF	4,3 Kg (9.5 lbs)	DETACHABLE	5+1
BW136-300	.300 Win Mag	1:10"	66 cm (26")	114 cm (44.5")	21.5 mm (No. 6)	5/8-24 UNEF	4,5 Kg (9.9 lbs)	DETACHABLE	5+1
BW136-300PRC	.300 PRC	1:9"	66 cm (26")	114 cm (44.5")	21.5 mm (No. 6)	5/8-24 UNEF	4,5 Kg (9.9 lbs)	DETACHABLE	5+1
RIDGE CARBON *Feature an American style synthetic stock, carbon barrel and installed Omni Brake									
BW124C-65	6,5 Creedmoor	1:8"	56 cm (22")	105 cm (41.5")	21.5 mm (No. 6)	5/8-24 UNEF	2,9 Kg (6.5 lbs)	DETACHABLE	3+1
BW123C-308	.308 Win	1:10"	51 cm (20")	100 cm (39.5")	21.5 mm (No. 6)	5/8-24 UNEF	2,9 Kg (6.4 lbs)	DETACHABLE	3+1
BW125C-300	.300 Win Mag	1:10"	61 cm (24")	112 cm (44")	21.5 mm (No. 6)	5/8-24 UNEF	3 Kg (6.7 lbs)	DETACHABLE	2+1
BW124CF-65	6,4 Creedmoor	1:8"	56 cm (22")	105 cm (41.5")	21.5 mm (No. 6)	5/8-24 UNEF	2,9 Kg (6.5 lbs)	FLOORPLATE	4+1
BW125CF-65PRC	6,5 PRC	1:8"	61 cm (24")	110 cm (43.5")	21.5 mm (No. 6)	5/8-24 UNEF	3 Kg (6.7 lbs)	FLOORPLATE	2+1
BW123CF-308	.308 Win	1:10"	51 cm (20")	100 cm (39.5")	21.5 mm (No. 6)	5/8-24 UNEF	2,9 Kg (6.4 lbs)	FLOORPLATE	4+1
BW125CF-300	.300 Win Mag	1:10"	61 cm (24")	112 cm (44")	21.5 mm (No. 6)	5/8-24 UNEF	3 Kg (6.7 lbs)	FLOORPLATE	3+1
RIDGE *Feature an American style synthetic stock and installed Omni Brake									
BW124-65	6,5 Creedmoor	1:8"	56 cm (22")	105 cm (41.5")	17.5 mm (No. 5)	5/8-24 UNEF	3,4 Kg (7.5 lbs)	DETACHABLE	3+1
BW123-308	.308 Win	1:10"	51 cm (20")	100 cm (39.5")	17.5 mm (No. 5)	5/8-24 UNEF	3,3 Kg (7.4 lbs)	DETACHABLE	3+1
BW125-7RM	7mm Rem Mag	1:9,5"	61 cm (24")	112 cm (44")	17.5 mm (No. 5)	5/8-24 UNEF	3,5 Kg (7.7 lbs)	DETACHABLE	2+1
BW125-300	.300 Win Mag	1:10"	61 cm (24")	112 cm (44")	17.5 mm (No. 5)	5/8-24 UNEF	3,5 Kg (7.7 lbs)	DETACHABLE	2+1
BW124F-65	6,5 Creedmoor	1:8"	56 cm (22")	105 cm (41.5")	17.5 mm (No. 5)	5/8-24 UNEF	3,4 Kg (7.5 lbs)	FLOORPLATE	4+1
BW123F-308	.308 Win	1:10"	51 cm (20")	100 cm (39.5")	17.5 mm (No. 5)	5/8-24 UNEF	3,3 Kg (7.4 lbs)	FLOORPLATE	4+1
BW125F-7RM	7mm Rem Mag	1:9,5"	61 cm (24")	112 cm (44")	17.5 mm (No. 5)	5/8-24 UNEF	3,5 Kg (7.7 lbs)	FLOORPLATE	3+1
BW125F-300	.300 Win Mag	1:10"	61 cm (24")	112 cm (44")	17.5 mm (No. 5)	5/8-24 UNEF	3,5 Kg (7.7 lbs)	FLOORPLATE	3+1
BW125F-65PRC	6,5 PRC	1:8"	61 cm (24")	110 cm (43,5")	17.5 mm (No. 5)	5/8-24 UNEF	3,4 Kg (7.6 lbs)	FLOORPLATE	2+1
BW125F-300PRC	.300 PRC	1:9"	61 cm (24")	112 cm (44")	17.5 mm (No. 5)	5/8-24 UNEF	3,5 Kg (7.7 lbs)	FLOORPLATE	2+1
TERRAIN *Feature a Bergara Terrain molded stock mini-chassis and installed Omni Brake									
BW145-65	6,5 Creedmoor	1:8"	61 cm (24")	114 cm (45")	19.1 mm (No. 5.5)	5/8-24 UNEF	4,2 Kg (9.3 lbs)	DETACHABLE	5+1
BW145-65PRC	6,5 PRC	1:8"	61 cm (24")	114 cm (45")	19.1 mm (No. 5.5)	5/8-24 UNEF	4,2 Kg (9.3 lbs)	DETACHABLE	5+1
BW143-308	.308 Win	1:10"	51 cm (20")	104 cm (41")	19.1 mm (No. 5.5)	5/8-24 UNEF	4 Kg (8.9 lbs)	DETACHABLE	5+1
BW146-300	.300 Win Mag	1:10"	66 cm (26")	122 cm (48")	19.1 mm (No. 5.5)	5/8-24 UNEF	4,6 Kg (10.1 lbs)	DETACHABLE	5+1
BW146-300PRC	.300 PRC	1:9"	66 cm (26")	122 cm (48")	19.1 mm (No. 5.5)	5/8-24 UNEF	4,6 Kg (10.1 lbs)	DETACHABLE	5+1
HUNTER *Feature an American style synthetic stock									
BW114-65	6,5 Creedmoor	1:8"	56 cm (22")	105 cm (41.5")	16.6 mm (No. 4)	-	3,19 Kg (7.1 lbs)	DETACHABLE	3+1
BW114-308	.308 Win	1:10"	56 cm (22")	105 cm (41.5")	16.6 mm (No. 4)	-	3,19 Kg (7.1 lbs)	DETACHABLE	3+1
BW115-7RM	7mm Rem Mag	1:9,5"	61 cm (24")	112 cm (44")	16.6 mm (No. 4)	-	3,3 Kg (7.3 lbs)	DETACHABLE	2+1
BW115-300	.300 Win Mag	1:10"	61 cm (24")	112 cm (44")	16.6 mm (No. 4)	-	3,3 Kg (7.3 lbs)	DETACHABLE	2+1
BW114F-65	6,5 Creedmoor	1:8"	56 cm (22")	105 cm (41.5")	16.6 mm (No. 4)	-	3,2 Kg (7.2 lbs)	FLOORPLATE	4+1
BW114F-308	.308 Win	1:10"	56 cm (22")	105 cm (41.5")	16.6 mm (No. 4)	-	3,2 Kg (7.2 lbs)	FLOORPLATE	4+1
BW115F-7RM	7mm Rem Mag	1:9,5"	61 cm (24")	112 cm (44")	16.6 mm (No. 4)	-	3,3 Kg (7.3 lbs)	FLOORPLATE	3+1
BW115F-300	.300 Win Mag	1:10"	61 cm (24")	112 cm (44")	16.6 mm (No. 4)	-	3,3 Kg (7.3 lbs)	FLOORPLATE	3+1

B-14 EXTREME SERIES RIFLES

*All B-14 Extreme Series Rifles come with the Bergara Performance Trigger

Reference	Caliber	Twist	Barrel Length	Overall Length	Muzzle Diameter	Barrel Thread	Overall Weight	Magazine	Capacity
EXTREME HUNTER *Feature an American style synthetic stock									
BX112-65	6,5 Creedmoor	1:8"	46 cm (18")	95 cm (37.5")	16.6 mm (No. 4)	M14x1	2,9 Kg (6.4 lbs)	DETACHABLE	3+1
BX112-308	.308 Win	1:10"	46 cm (18")	95 cm (37.5")	16.6 mm (No. 4)	M14x1	2,9 Kg (6.4 lbs)	DETACHABLE	3+1
EXTREME HUNTER *Feature an American style synthetic stock and Open Sights									
BX112A-65	6,5 Creedmoor	1:8"	46 cm (18")	95 cm (37.5")	16.6 mm (No. 4)	M14x1	2,9 Kg (6.4 lbs)	DETACHABLE	3+1
BX112A-308	.308 Win	1:10"	46 cm (18")	95 cm (37.5")	16.6 mm (No. 4)	M14x1	2,9 Kg (6.4 lbs)	DETACHABLE	3+1
EXTREME SPORTER *Feature a Montecarlo style synthetic stock									
BX122-65	6,5 Creedmoor	1:8"	46 cm (18")	97 cm (38")	16.6 mm (No. 4)	M14x1	3,1 Kg (6.8 lbs)	DETACHABLE	3+1
BX122-308	.308 Win	1:10"	46 cm (18")	97 cm (38")	16.6 mm (No. 4)	M14x1	3,1 Kg (6.8 lbs)	DETACHABLE	3+1
EXTREME SPORTER *Feature a Montecarlo style synthetic stock and Open Sights									
BX122A-65	6,5 Creedmoor	1:8"	46 cm (18")	97 cm (38")	16.6 mm (No. 4)	M14x1	3,1 Kg (6.8 lbs)	DETACHABLE	3+1
BX122A-308	.308 Win	1:10"	46 cm (18")	97 cm (38")	16.6 mm (No. 4)	M14x1	3,1 Kg (6.8 lbs)	DETACHABLE	3+1
EXTREME HUNTER VIPER URBAN *Feature an American style synthetic stock									
BX112-65V	6,5 Creedmoor	1:8"	46 cm (18")	95 cm (37.5")	16.6 mm (No. 4)	M14x1	2,9 Kg (6.4 lbs)	DETACHABLE	3+1
BX112-308V	.308 Win	1:10"	46 cm (18")	95 cm (37.5")	16.6 mm (No. 4)	M14x1	2,9 Kg (6.4 lbs)	DETACHABLE	3+1
EXTREME SPORTER VIPER WESTERN *Feature a Montecarlo style synthetic stock									
BX122-65V	6,5 Creedmoor	1:8"	46 cm (18")	97 cm (38")	16.6 mm (No. 4)	M14x1	3,1 Kg (6.8 lbs)	DETACHABLE	3+1
BX122-308V	.308 Win	1:10"	46 cm (18")	97 cm (38")	16.6 mm (No. 4)	M14x1	3,1 Kg (6.8 lbs)	DETACHABLE	3+1

B-14 SERIES RIFLES

*All B-14 Series Rifles come with the Bergara Performance Trigger

Reference	Caliber	Twist	Barrel Length	Overall Length	Muzzle Diameter	Barrel Thread	Overall Weight	Magazine	Capacity
HMR *Feature a Bergara HMR molded stock with mini-chassis									
BE145-22250	.22-250 Rem.	1:9"	61 cm (24")	112 cm (44")	21.5 mm (No. 6)	M18x1	4,39 Kg (9.7 lbs)	AICS COMPATIBLE	5+1
BE145-65	6,5 Creedmoor	1:8"	61 cm (24")	112 cm (44")	21.5 mm (No. 6)	M18x1	4,39 Kg (9.7 lbs)	AICS COMPATIBLE	5+1
BE146-65	6,5 Creedmoor	1:8"	66 cm (26")	116 cm (45.5")	21.5 mm (No. 6)	M18x1	4,45 Kg (9.8 lbs)	AICS COMPATIBLE	5+1
BE145-308	.308 Win	1:10"	61 cm (24")	112 cm (44")	19.1 mm (No. 5.5)	M15x1	4,39 Kg (9.7 lbs)	AICS COMPATIBLE	5+1
BE146-300	.300 Win Mag	1:10"	66 cm (26")	120 cm (47.5")	19.1 mm (No. 5.5)	M15x1	4,5 Kg (9.9 lbs)	AICS COMPATIBLE	5+1
HMR LEFT HANDED *Feature a Bergara HMR molded stock with mini-chassis									
BE145-22250Z	.22-250 Rem.	1:9"	61 cm (24")	112 cm (44")	21.5 mm (No. 6)	M18x1	4,39 Kg (9.7 lbs)	AICS COMPATIBLE	5+1
BE145-65Z	6,5 Creedmoor	1:8"	61 cm (24")	112 cm (44")	21.5 mm (No. 6)	M18x1	4,39 Kg (9.7 lbs)	AICS COMPATIBLE	5+1
BE146-65Z	6,5 Creedmoor	1:8"	66 cm (26")	116 cm (45.5")	21.5 mm (No. 6)	M18x1	4,45 Kg (9.8 lbs)	AICS COMPATIBLE	5+1
BE145-308Z	.308 Win	1:10"	61 cm (24")	112 cm (44")	19.1 mm (No. 5.5)	M18x1	4,39 Kg (9.7 lbs)	AICS COMPATIBLE	5+1
BE146-300Z	.300 Win Mag	1:10"	66 cm (26")	120 cm (47.5")	19.1 mm (No. 5.5)	M15x1	4,5 Kg (9.9 lbs)	AICS COMPATIBLE	5+1
SPORTER *Feature a Montecarlo style synthetic stock									
BE124-243	.243 Win	1:10"	56 cm (22")	107 cm (42")	16.6 mm (No. 4)	M14x1	3,33 Kg (7.3 lbs)	DETACHABLE	3+1
BE124-65	6,5 Creedmoor	1:8"	56 cm (22")	107 cm (42")	16.6 mm (No. 4)	M14x1	3,33 Kg (7.3 lbs)	DETACHABLE	3+1
BE124-308	.308 Win	1:12"	56 cm (22")	107 cm (42")	16.6 mm (No. 4)	M14x1	3,33 Kg (7.3 lbs)	DETACHABLE	3+1
BE125-65X	6,5x55 SE	1:8,66"	61 cm (24")	115 cm (45")	16.6 mm (No. 4)	M14x1	3,42 Kg (7.5 lbs)	DETACHABLE	3+1
BE125-270	.270 Win	1:10"	61 cm (24")	115 cm (45")	16.6 mm (No. 4)	M14x1	3,42 Kg (7.5 lbs)	DETACHABLE	3+1
BE125-3006	.30-06 Spring	1:10"	61 cm (24")	115 cm (45")	16.6 mm (No. 4)	M14x1	3,42 Kg (7.5 lbs)	DETACHABLE	3+1
BE125-7RM	7mm Rem Mag	1:9,5"	61 cm (24")	115 cm (45")	16.6 mm (No. 4)	M14x1	3,42 Kg (7.5 lbs)	DETACHABLE	2+1
BE125-300	.300 Win Mag	1:10"	61 cm (24")	115 cm (45")	16.6 mm (No. 4)	M14x1	3,42 Kg (7.5 lbs)	DETACHABLE	2+1
BE125-338	.338 Win Mag	1:10"	61 cm (24")	115 cm (45")	19.1 mm (No. 5.5)	M15x1	3,4 Kg (7.5 lbs)	DETACHABLE	2+1
BE124F-243	.243 Win	1:10"	56 cm (22")	107 cm (42")	16.6 mm (No. 4)	M14x1	3,37 Kg (7.4 lbs)	FLOORPLATE	4+1
BE124F-65	6,5 Creedmoor	1:8"	56 cm (22")	107 cm (42")	16.6 mm (No. 4)	M14x1	3,37 Kg (7.4 lbs)	FLOORPLATE	4+1
BE124F-308	.308 Win	1:12"	56 cm (22")	107 cm (42")	16.6 mm (No. 4)	M14x1	3,37 Kg (7.4 lbs)	FLOORPLATE	4+1
BE125F-65X	6,5x55 SE	1:8,66"	61 cm (24")	115 cm (45")	16.6 mm (No. 4)	M14x1			

B-14 SERIES RIFLES

*All B-14 Series Rifles come with the Bergara Performance Trigger

Reference	Caliber	Twist	Barrel Length	Overall Length	Muzzle Diameter	Barrel Thread	Overall Weight	Magazine	Capacity
TIMBER *Feature a walnut Monte Carlo style stock									
BE114-243	.243 Win	1:10"	56 cm (22")	107 cm (42")	16.6 mm (No. 4)	M14x1	3,4 Kg (7.5 lbs)	DETACHABLE	3+1
BE114-65	6,5 Creedmoor	1:8"	56 cm (22")	107 cm (42")	16.6 mm (No. 4)	M14x1	3,47 Kg (7.5 lbs)	DETACHABLE	3+1
BE114-308	.308 Win	1:12"	56 cm (22")	107 cm (42")	16.6 mm (No. 4)	M14x1	3,43 Kg (7.5 lbs)	DETACHABLE	3+1
BE115-65X	6,5x55 SE	1:8,66"	61 cm (24")	115 cm (45")	16.6 mm (No. 4)	M14x1	3,52 Kg (7.7 lbs)	DETACHABLE	3+1
BE115-270	.270 Win	1:10"	61 cm (24")	115 cm (45")	16.6 mm (No. 4)	M14x1	3,5 Kg (7.7 lbs)	DETACHABLE	3+1
BE115-3006	.30-06 Spring	1:10"	61 cm (24")	115 cm (45")	16.6 mm (No. 4)	M14x1	3,52 Kg (7.7 lbs)	DETACHABLE	3+1
BE114-3006	.30-06 Spring	1:10"	56 cm (22")	110 cm (43")	16.6 mm (No. 4)	M14x1	3,49 Kg (7.6 lbs)	DETACHABLE	3+1
BE115-7RM	7mm Rem Mag	1:9,5"	61 cm (24")	115 cm (45")	16.6 mm (No. 4)	M14x1	3,52 Kg (7.7 lbs)	DETACHABLE	2+1
BE115-300	.300 Win Mag	1:10"	61 cm (24")	115 cm (45")	16.6 mm (No. 4)	M14x1	3,52 Kg (7.7 lbs)	DETACHABLE	2+1
BE115-338	.338 Win Mag	1:10"	61 cm (24")	115 cm (45")	19.1 mm (No. 5.5)	M15x1	3,5 Kg (7.6 lbs)	DETACHABLE	2+1
BE115-375	.375 H&H Mag	1:12"	61 cm (24")	115 cm (45")	21.5 mm (No. 6)	M18x1	3,72 Kg (8.2 lbs)	DETACHABLE	2+1
BE114F-243	.243 Win	1:10"	56 cm (22")	107 cm (42")	16.6 mm (No. 4)	M14x1	3,4 Kg (7.5 lbs)	FLOORPLATE	4+1
BE114F-65	6,5 Creedmoor	1:8"	56 cm (22")	107 cm (42")	16.6 mm (No. 4)	M14x1	3,42 Kg (7.5 lbs)	FLOORPLATE	4+1
BE114F-308	.308 Win	1:12"	56 cm (22")	107 cm (42")	16.6 mm (No. 4)	M14x1	3,47 Kg (7.5 lbs)	FLOORPLATE	4+1
BE115F-65X	6,5x55 SE	1:8,66"	61 cm (24")	115 cm (45")	16.6 mm (No. 4)	M14x1	3,56 Kg (7.7 lbs)	FLOORPLATE	4+1
BE115F-270	.270 Win	1:10"	61 cm (24")	115 cm (45")	16.6 mm (No. 4)	M14x1	3,5 Kg (7.7 lbs)	FLOORPLATE	4+1
BE115F-3006	.30-06 Spring	1:10"	61 cm (24")	115 cm (45")	16.6 mm (No. 4)	M14x1	3,56 Kg (7.7 lbs)	FLOORPLATE	4+1
BE114F-3006	.30-06 Spring	1:10"	56 cm (22")	110 cm (43")	16.6 mm (No. 4)	M14x1	3,53 Kg (7.6 lbs)	FLOORPLATE	4+1
BE115F-7RM	7mm Rem Mag	1:9,5"	61 cm (24")	115 cm (45")	16.6 mm (No. 4)	M14x1	3,56 Kg (7.7 lbs)	FLOORPLATE	3+1
BE115F-300	.300 Win Mag	1:10"	61 cm (24")	115 cm (45")	16.6 mm (No. 4)	M14x1	3,56 Kg (7.7 lbs)	FLOORPLATE	3+1
BE115F-338	.338 Win Mag	1:10"	61 cm (24")	115 cm (45")	19.1 mm (No. 5.5)	M15x1	3,5 Kg (7.6 lbs)	FLOORPLATE	3+1
BE115F-375	.375 H&H Mag	1:12"	61 cm (24")	115 cm (45")	21.5 mm (No. 6)	M18x1	3,76 Kg (7.7 lbs)	FLOORPLATE	3+1
TIMBER LEFT HANDED *Feature a walnut Monte Carlo style stock									
BE114-65Z	6,5 Creedmoor	1:8"	56 cm (22")	107 cm (42")	16.6 mm (No. 4)	M14x1	3,4 Kg (7.5 lbs)	DETACHABLE	3+1
BE114-308Z	.308 Win	1:12"	56 cm (22")	107 cm (42")	16.6 mm (No. 4)	M14x1	3,43 Kg (7.5 lbs)	DETACHABLE	3+1
BE115-7RMZ	7mm Rem Mag	1:9,5"	61 cm (24")	115 cm (45")	16.6 mm (No. 4)	M14x1	3,5 Kg (7.7 lbs)	DETACHABLE	2+1
BE115-300Z	.300 Win Mag	1:10"	61 cm (24")	115 cm (45")	16.6 mm (No. 4)	M14x1	3,5 Kg (7.7 lbs)	DETACHABLE	2+1
BE115-338Z	.338 Win Mag	1:10"	61 cm (24")	115 cm (45")	19.1 mm (No. 5.5)	M15x1	3,5 Kg (7.6 lbs)	DETACHABLE	2+1
BE114F-65Z	6,5 Creedmoor	1:8"	56 cm (22")	107 cm (42")	16.6 mm (No. 4)	M14x1	3,4 Kg (7.5 lbs)	FLOORPLATE	4+1
BE114F-308Z	.308 Win	1:12"	56 cm (22")	107 cm (42")	16.6 mm (No. 4)	M14x1	3,47 Kg (7.5 lbs)	FLOORPLATE	4+1
BE115F-7RMZ	7mm Rem Mag	1:9,5"	61 cm (24")	115 cm (45")	16.6 mm (No. 4)	M14x1	3,5 Kg (7.7 lbs)	FLOORPLATE	3+1
BE115F-300Z	.300 Win Mag	1:10"	61 cm (24")	115 cm (45")	16.6 mm (No. 4)	M14x1	3,5 Kg (7.7 lbs)	FLOORPLATE	3+1
BE115F-338Z	.338 Win Mag	1:10"	61 cm (24")	115 cm (45")	19.1 mm (No. 5.5)	M15x1	3,5 Kg (7.6 lbs)	FLOORPLATE	3+1
HUNTER *Feature an American Style synthetic stock									
BE134-243	.243 Win	1:10"	56 cm (22")	105 cm (41.5")	16.6 mm (No. 4)	M14x1	3,19 Kg (7.1 lbs)	DETACHABLE	3+1
BE134-65	6,5 Creedmoor	1:8"	56 cm (22")	105 cm (41.5")	16.6 mm (No. 4)	M14x1	3,19 Kg (7.1 lbs)	DETACHABLE	3+1
BE134-308	.308 Win	1:12"	56 cm (22")	105 cm (41.5")	16.6 mm (No. 4)	M14x1	3,19 Kg (7.1 lbs)	DETACHABLE	3+1
BE135-270	.270 Win	1:10"	61 cm (24")	112 cm (44")	16.6 mm (No. 4)	M14x1	3,31 Kg (7.3 lbs)	DETACHABLE	3+1
BE135-3006	.30-06 Spring	1:10"	61 cm (24")	112 cm (44")	16.6 mm (No. 4)	M14x1	3,31 Kg (7.3 lbs)	DETACHABLE	3+1
BE135-7RM	7mm Rem Mag	1:9,5"	61 cm (24")	112 cm (44")	16.6 mm (No. 4)	M14x1	3,28 Kg (7.2 lbs)	DETACHABLE	2+1
BE135-300	.300 Win Mag	1:10"	61 cm (24")	112 cm (44")	16.6 mm (No. 4)	M14x1	3,31 Kg (7.3 lbs)	DETACHABLE	2+1
BE134F-243	.243 Win	1:10"	56 cm (22")	105 cm (41.5")	16.6 mm (No. 4)	M14x1	3,26 Kg (7.2 lbs)	FLOORPLATE	4+1
BE134F-65	6,5 Creedmoor	1:8"	56 cm (22")	105 cm (41.5")	16.6 mm (No. 4)	M14x1	3,26 Kg (7.2 lbs)	FLOORPLATE	4+1
BE134F-308	.308 Win	1:12"	56 cm (22")	105 cm (41.5")	16.6 mm (No. 4)	M14x1	3,26 Kg (7.2 lbs)	FLOORPLATE	4+1
BE135F-270	.270 Win	1:10"	61 cm (24")	112 cm (44")	16.6 mm (No. 4)	M14x1	3,32 Kg (7.3 lbs)	FLOORPLATE	4+1
BE135F-3006	.30-06 Spring	1:10"	61 cm (24")	112 cm (44")	16.6 mm (No. 4)	M14x1	3,32 Kg (7.3 lbs)	FLOORPLATE	4+1
BE135F-7RM	7mm Rem Mag	1:9,5"	61 cm (24")	112 cm (44")	16.6 mm (No. 4)	M14x1	3,32 Kg (7.3 lbs)	FLOORPLATE	3+1
BE135F-300	.300 Win Mag	1:10"	61 cm (24")	112 cm (44")	16.6 mm (No. 4)	M14x1	3,32 Kg (7.3 lbs)	FLOORPLATE	3+1

BA13 TD SERIES RIFLES

*All BA13 TD Series Rifles have 100% ambidextrous stocks in black, strata camo and green color

Reference	Caliber	Twist	Barrel Length	Overall Length	Muzzle Diameter	Barrel Thread	Overall Weight
BA13 TD STANDARD *Feature a Compact Synthetic design stock and Open Sights							
BA113A-243	.243 Win	1:10"	51 cm (20")	89 cm (35")	17.5 mm (No. 5)	5/8-24 UNEF	3,14 Kg (6.9 lbs)
BA113A-308	.308 Win	1:12"	51 cm (20")	89 cm (35")	17.5 mm (No. 5)	5/8-24 UNEF	3,14 Kg (6.9 lbs)
BA113A-3006	.30-06 Spring	1:10"	51 cm (20")	89 cm (35")	17.5 mm (No. 5)	5/8-24 UNEF	3,14 Kg (6.9 lbs)
BA113A-4570	.45-70 Govt.	1:20"	51 cm (20")	89 cm (35")	19.1 mm (No. 5.5)	5/8-24 UNEF	3,2 Kg (7 lbs)
BA113A-8X5	8x57 JRS	1:9,5"	51 cm (20")	89 cm (35")	17.5 mm (No. 5)	5/8-24 UNEF	3,14 Kg (6.9 lbs)
BA13 TD STANDARD *Feature a Compact Synthetic design stock							
BA111-300B	.300 AAC BLACKOUT	1:8"	42 cm (16,5")	80 cm (31,5")	17.5 mm (No. 5)	5/8-24 UNEF	2,9 Kg (6.4 lbs)
BA112-300B	.300 AAC BLACKOUT	1:8"	46 cm (18")	84 cm (33")	17.5 mm (No. 5)	5/8-24 UNEF	3,1 Kg (6.8 lbs)
BA111-308	.308 Win	1:8"	42 cm (16,5")	80 cm (31,5")	17.5 mm (No. 5)	5/8-24 UNEF	2,9 Kg (6.4 lbs)
BA112-308	.308 Win	1:8"	46 cm (18")	84 cm (33")	17.5 mm (No. 5)	5/8-24 UNEF	3,1 Kg (6.8 lbs)
BA13 TD THUMBHOLE *Feature a Take Down Thumbhole stock							
BA123-243	.243 Win	1:10"	51 cm (20")	89 cm (35")	17.5 mm (No. 5)	5/8-24 UNEF	3,14 Kg (6.9 lbs)
BA121-300B	.300 AAC BLACKOUT	1:8"	42 cm (16,5")	80 cm (31,5")	17.5 mm (No. 5)	5/8-24 UNEF	2,9 Kg (6.4 lbs)
BA122-300B	.300 AAC BLACKOUT	1:8"	46 cm (18")	84 cm (33")	17.5 mm (No. 5)	5/8-24 UNEF	3,1 Kg (6.8 lbs)
BA121-308	.308 Win	1:8"	42 cm (16,5")	80 cm (31,5")	17.5 mm (No. 5)	5/8-24 UNEF	2,9 Kg (6.4 lbs)
BA123-308	.308 Win	1:12"	51 cm (20")	89 cm (35")	17.5 mm (No. 5)	5/8-24 UNEF	3,14 Kg (6.9 lbs)
BA122-308	.308 Win	1:8"	46 cm (18")	84 cm (33")	17.5 mm (No. 5)	5/8-24 UNEF	3,1 Kg (6.8 lbs)
BA123-3006	.30-06 Spring	1:10"	51 cm (20")	89 cm (35")	17.5 mm (No. 5)	5/8-24 UNEF	3,14 Kg (6.9 lbs)
BA123-4570	.45-70 Govt.	1:20"	51 cm (20")	89 cm (35")	19.1 mm (No. 5.5)	5/8-24 UNEF	3,2 Kg (7 lbs)
BA123-8X5	8x57 JRS	1:9,5"	51 cm (20")	89 cm (35")	17.5 mm (No. 5)	5/8-24 UNEF	3,14 Kg (6.9 lbs)
BA13 TD STANDARD STRATA *Feature a Compact Synthetic design stock							
BA113-223ST	.223	1:8"	51 cm (20")	89 cm (35")	17.5 mm (No. 5)	5/8-24 UNEF	3,14 Kg (6.9 lbs)
BA113-65ST	6,5 Creedmoor	1:8"	51 cm (20")	89 cm (35")	17.5 mm (No. 5)	5/8-24 UNEF	3,14 Kg (6.9 lbs)
BA113-308ST	.308 Win	1:12"	51 cm (20")	89 cm (35")	17.5 mm (No. 5)	5/8-24 UNEF	3,14 Kg (6.9 lbs)
BA13 TD THUMBHOLE STRATA *Feature a Take Down Thumbhole stock							
BA123-223ST	.223	1:8"	51 cm (20")	89 cm (35")	17.5 mm (No. 5)	5/8-24 UNEF	3,14 Kg (6.9 lbs)
BA123-65ST	6,5 Creedmoor	1:8"	51 cm (20")	89 cm (35")	17.5 mm (No. 5)	5/8-24 UNEF	3,14 Kg (6.9 lbs)
BA123-308ST	.308 Win	1:12"	51 cm (20")	89 cm (35")	17.5 mm (No. 5)	5/8-24 UNEF	3,14 Kg (6.9 lbs)
BA13 TD STANDARD GREEN *Feature a Compact Synthetic design stock							
BA213-223G	.223	1:8"	51 cm (20")	89 cm (35")	17.5 mm (No. 5)	5/8-24 UNEF	3,14 Kg (6.9 lbs)
BA213-65G	6,5 Creedmoor	1:8"	51 cm (20")	89 cm (35")	17.5 mm (No. 5)	5/8-24 UNEF	3,14 Kg (6.9 lbs)
BA213-308G	.308 Win	1:12"	51 cm (20")	89 cm (35")	17.5 mm (No. 5)	5/8-24 UNEF	3,14 Kg (6.9 lbs)
BA13 TD THUMBHOLE GREEN *Feature a Take Down Thumbhole stock							
BA223-223G	.223	1:8"	51 cm (20")	89 cm (35")	17.5 mm (No. 5)	5/8-24 UNEF	3,14 Kg (6.9 lbs)
BA223-65G	6,5 Creedmoor	1:8"	51 cm (20")	89 cm (35")	17.5 mm (No. 5)	5/8-24 UNEF	3,14 Kg (6.9 lbs)
BA223-308G	.308 Win	1:12"	51 cm (20")	89 cm (35")	17.5 mm (No. 5)	5/8-24 UNEF	3,14 Kg (6.9 lbs)



RIMFIRE SERIES RIFLES

Reference	Caliber	Twist	Barrel Length	Overall Length	Muzzle Diameter	Barrel Thread	Overall Weight	Magazine	Capacity
B14-R CARBON *Feature an HMR stock and carbon fiber barrel									
BR142-22LR	.22 LR	1:16"	46 cm (18")	96 cm (38")	23.6 mm (No. 7)	1/2-28 UNEF	3,6 Kg (8.1 lbs)	DETACHABLE	10
BR143-22W	.22 WMR	1:16"	51 cm (20")	101 cm (40")	23.6 mm (No. 7)	1/2-28 UNEF	3,7 Kg (8.3 lbs)	DETACHABLE	10
BR143-17HMR	.17 HMR	1:9"	51 cm (20")	101 cm (40")	23.6 mm (No. 7)	1/2-28 UNEF	3,7 Kg (8.3 lbs)	DETACHABLE	10
BR142-22LRZ	.22 LR (Left Handed)	1:16"	46 cm (18")	96 cm (38")	23.6 mm (No. 7)	1/2-28 UNEF	3,6 Kg (8.1 lbs)	DETACHABLE	10
BR143-22WZ	.22 WMR (Left Handed)	1:16"	51 cm (20")	101 cm (40")	23.6 mm (No. 7)	1/2-28 UNEF	3,7 Kg (8.3 lbs)	DETACHABLE	10
BR143-17HMRZ	.17 HMR (Left Handed)	1:9"	51 cm (20")	101 cm (40")	23.6 mm (No. 7)	1/2-28 UNEF	3,7 Kg (8.3 lbs)	DETACHABLE	10
B14-R STEEL *Feature an HMR stock									
BR132-22LR	.22 LR	1:16"	46 cm (18")	96 cm (38")	21.5 mm (No. 6)	1/2-28 UNEF	4,1 Kg (9.2 lbs)	DETACHABLE	10
BR133-22W	.22 WMR	1:16"	51 cm (20")	101 cm (40")	21.5 mm (No. 6)	1/2-28 UNEF	4,2 Kg (9.4 lbs)	DETACHABLE	10
BR133-17HMR	.17 HMR	1:9"	51 cm (20")	101 cm (40")	21.5 mm (No. 6)	1/2-28 UNEF	4,1 Kg (9.4 lbs)	DETACHABLE	10
BR132-22LRZ	.22 LR (Left Handed)	1:16"	46 cm (18")	96 cm (38")	21.5 mm (No. 6)	1/2-28 UNEF	4,1 Kg (9.2 lbs)	DETACHABLE	10
BR133-22WZ	.22 WMR (Left Handed)	1:16"	51 cm (20")	101 cm (40")	21.5 mm (No. 6)	1/2-28 UNEF	4,2 Kg (9.4 lbs)	DETACHABLE	10
BR133-17HMRZ	.17 HMR (Left Handed)	1:9"	51 cm (20")	101 cm (40")	21.5 mm (No. 6)	1/2-28 UNEF	4,2 Kg (9.4 lbs)	DETACHABLE	10
BMR CARBON *Feature a BMR stock and carbon fiber barrel									
BR162-22LR	.22 LR	1:16"	46 cm (18")	92 cm (36")	21.5 mm (No. 6)	1/2-28 UNEF	2,3 Kg (5 lbs)	DETACHABLE	5 AND 10
BR163-22W	.22 WMR	1:16"	51 cm (20")	97 cm (38")	21.5 mm (No. 6)	1/2-28 UNEF	2,4 Kg (5.4 lbs)	DETACHABLE	5 AND 10
BR163-17HMR	.17 HMR	1:9"	51 cm (20")	97 cm (38")	21.5 mm (No. 6)	1/2-28 UNEF	2,4 Kg (5.4 lbs)	DETACHABLE	5 AND 10
BMR STEEL *Feature a BMR stock									
BR152-22LR	.22 LR	1:16"	46 cm (18")	92 cm (36")	16.6 mm (No. 4)	1/2-28 UNEF	2,5 Kg (5.5 lbs)	DETACHABLE	5 AND 10
BR153-22W	.22 WMR	1:16"	51 cm (20")	97 cm (38")	16.6 mm (No. 4)	1/2-28 UNEF	2,6 Kg (5.8 lbs)	DETACHABLE	5 AND 10
BR153-17HMR	.17 HMR	1:9"	51 cm (20")	97 cm (38")	16.6 mm (No. 4)	1/2-28 UNEF	2,6 Kg (5.8 lbs)	DETACHABLE	5 AND 10

SHOOTING BARRELED ACTION

*Come with AICS style magazine

Reference	Caliber	Twist	Barrel Length	Overall Length	Muzzle Diameter	Barrel Thread	Overall Weight	Magazine	Capacity
BARRELED ACTION Shooting									
BRA176S-6C	6 Creedmoor	1:7,5"	66 cm (26")	84,5 cm (33.3")	23.6 mm (No. 7)	5/8-24 UNEF	3,6 Kg (7.9 lbs)	DETACHABLE	10
BRA176S-65	6,5 Creedmoor	1:8"	66 cm (26")	84,5 cm (33.3")	23.6 mm (No. 7)	5/8-24 UNEF	3,6 Kg (7.9 lbs)	DETACHABLE	10
BRA176S-308	.308 Win	1:11"	66 cm (26")	84,5 cm (33.3")	23.6 mm (No. 7)	5/8-24 UNEF	3,6 Kg (7.9 lbs)	DETACHABLE	10
BARRELED ACTION Rimfire Shooting									
BRA172S-22LR	.22 LR	1:16"	51 cm (20")	74,5 cm (29.3")	23.6 mm (No. 7)	1/2-28 UNEF	3,4 Kg (7.5 lbs)	DETACHABLE	10
BRA172S-22LRZ	.22 LR (Left Handed)	1:16"	51 cm (20")	74,5 cm (29.3")	23.6 mm (No. 7)	1/2-28 UNEF	3,4 Kg (7.5 lbs)	DETACHABLE	10

WARRANTY

Bergara rifles are warranted to be free from manufacturers defects for the life of the gun. With our complete inventory of replacement parts, our experts can repair all Bergara rifles, bringing them back to life.

CUSTOMER SERVICE

If you need a spotter, feel free to call us for backup. We'll get you dialed in. Bergara has a highly trained team of gunsmiths and Customer Service Reps to serve your needs.

DIKAR S. COOP.
Ugarte 26
20570 Bergara, Gipuzkoa, Spain
info@bergararifles.com

www.bergara.online



